Historic, archived document

Do not assume content reflects current scientific knowledge, policies, or practices.

967
2C78

VOL. 3 INDEX 1953

Cooperative ECONOMIC INSECT REPORT

LIBRARY
CURRENT SERIAL RECORD
MAY 20 1954
U.S. DEPARTMENT OF AGRICULTURE

Issued by

PLANT PEST CONTROL BRANCH

AGRICULTURAL RESEARCH SERVICE

UNITED STATES DEPARTMENT OF AGRICULTURE

AGRICULTURAL RESEARCH SERVICE

PLANT PEST CONTROL BRANCH

ECONOMIC INSECT SURVEY SECTION

The Cooperative Economic Insect Report is issued weekly as a service to American Agriculture. Its contents are compiled from information supplied by cooperating State, Federal, and industrial entomologists and other agricultural workers. In releasing this material the Branch serves as a clearing house and does not assume responsibility for accuracy of the material.

Reports and inquiries pertaining to this release should be mailed to:

Economic Insect Survey Section
Plant Pest Control Branch
United States Department of Agriculture
Washington 25, D. C.

COOPERATIVE ECONOMIC INSECT REPORT

VOLUME 3 - 1953 INDEX

COMMON NAMES

*Common name not included in American Association of Economic Entomologists approved list.

Alder flea beetle (Altica ambiens) 355, 839
Alfalfa caterpillar (Colias philodice eurytheme) 297, survey methods 311, 320, 498, 507, 627, 644, 657, 671, 699, 725, 754, 834, 852, 855, 861, 863
Alfalfa looper (Autographa californica) 368, 800
Alfalfa plant bug (Adelphocoris lineolatus) 154, 471, 473, 508, 552, eastern distribution 819
Alfalfa webworm (Loxostege commixtalis) 446, 514, 552, 698, 797
Alfalfa weevil (Hypera postica) 28, 52, 67, 126, 157, 169, 175, 189, 203, dist. in Eastern States 208, 220, 235, 248, 252, 281, 299, 319, 342, 360, 368, 388, 403, 411, 454, 473, 497, 508, 514, 532, 569, 586, 606, 730, 809, 855, 863
Ambrosia beetles 742, 770, 822
American dog tick (Dermacentor variablis) 292, 309, 829
American foul brood 69
Angoumois grain moth (Sitotroga cerealella) 65, 192, 586, 665, 679, 698, 718, 730, 785
Aphids -- on cereal and forage 23, 236, 255, 282, 342, 369, 453, 477, 493, 514, 533, 754, 775, 809, 819, 833, 850, 855, 858 -- on fruit 79, 117, 175, 189, 223, 233, 256, 285, 324, 348, 372, 393, 435, 457, 458, 478, 554, 723, 737, 755, 785, 788 -- on cotton 215, 308, 332, 358, 380, 401, 415, 419, 443, 465, 484, 504, 521, 577, 594, 614, 635, 649, 663, 677, 689, 705, 716, 729 -- on truck crops 35, 48, 61, 66, 74, 81, 118, 125, 133, 137, 150, 170, 172, 176, survey methods 181, 190, 193, 212, 240, 259, 261, 289, 305, 323, 327, 328, 350, 352, 374, 376, 415, 461, 480, 500, 517, 524, 539, 555, 557, 572, 592, 609, 630, 645, 647, 659, 675, 685, 701, 713, 739, 778, 801, 811, 840 -- on trees and ornamentals 120, 172, 376, 487, 543, 636, 678, 742
Apple aphid (Aphis pomi) 54, 125, 128, 212, 223, 248, 253, 285, 294, 302, 323, 372, 413, 435, 457, 478, 498, 533, 545, 554, 571, 588, 786, 790, 814, 841, 844

Apple curculio (Tachypterellus quadrigibbus) 155, 256, 345, 391
Apple flea weevil (Rhychaenus pallicornis) 413
Apple grain aphid (Rhopalosiphum prunifoliae) 205, 212, 224, 255, 2[illegible], 285, 302, 321, 346, 393
Apple maggot (Rhagoletis pomonella) 79, 125, 155, 457, 478, 499, 515, 524, 534, 545, 554, 572, 587, 645, 673, 688, 699, 767, 776, 777, 786, 788, 791, 841
Apple rust mite (Vasates schlechtendali) 713
Army cutworm (Chorizagrotis auxiliaris) 50, 116, 129, 158, 203, 205, 220, 233, 247, 253, 383, 456, 489
Armyworms 8, 40, 65, 83, 84, 137, 154, 174, 191, 192, 204, 237, 247, 248, 252, 253, 261, 281, 300, 315, 320, 343, 360, 363, 369, 385, 390, 403, 409, 427, 446, 452, 476, 497, 515, 531, 545, 553, 628, 643, 672, 699, 712, 714, 805, 814, 826, 842
Artichoke plume moth (Platyptilia carduidactyla) 5, 120, 226, 802, 850
Ash borer (Podosesia syringae fraxini) 54
Asiatic garden beetle (Autoserica castanea) 462, 572, 590
Asiatic rice borer (Chilo simplex) 64
Asparagus beetles(Criocerus spp.) 53, 125, 128, 287, 328, 350, 375, 417, 462, 637, 661
Azalea bark scale (Eriococcus azaleae) 177
*Azalea caterpillar (Datana major) 83, 647, 661, 675
Azalea lace bug (Stephanitis pyrioides) 399
Azalea leafminer (Gracilaria azaleella) 758

- B -

Bagworm (Thyridopteryx ephemeraeformis) 8, 83, 83, 177, 506, 523, 578, 615, 643, 729, 829
*Balsam woolly aphid (Chermes piceae) 839
Banded cucumber beetle (Diabrotica balteata) 5, 213, 537, 712
*Barberry aphid (Liosomaphis berberidis) 397
Bark beetles 125, 271, 398, 615, 742
Bean aphid (Aphis fabae) 175, 395, 438, 538, 574, 616
*Bean cutworm (Loxagrotis albicosta) 591, 660
Beanleaf beetle (Cerotoma trifurcata) 65, 128, 175, 240, 259, 287, 320, 352, 370, 375, 394, 410, 433, 438, 446, 455, 515, 570, 605, 627, 643, 670, 828
Bean leaf roller (Urbanus proteus) 259, 778, 809
Bean thrips (Hercothrips fasciatus) 801
Bean weevil (Acanthoscelides obtectus) 631
Bed bug (Cimex lectularius) 678
Bee poisoning 844
Beach scale (Cryptococcus fagi) 578, 839

Beet armyworm (Laphygma exigua) 381, 401, 484, 542, 660, 701, 727, 739 757, 768, 777, 792, 801, 834, 853
Beet leafhopper (Circulifer tenellus) 1952 summary 41, survey methods 89, 130, 158, 259, 279, 288, 306, 315, 329, 350, 375, 385, 393, 413, survey methods 425, 427, 438, 460, 481, 519, 536, 659, 674, 685, 702, 777, 853, 865
Beet webworm (Loxostege sticticalis) 53, 158, 350, 481, 538, 557, 591, 727
Billbugs (Calendra spp.) 192, 301, 341, 339, 387, 408 513, 643
Birch leaf miner (Fenusa pusilla) 173, 444, 596, 839,
Birch skeletonizer (Bucculatrix canadensisella) 690, 717, 839, 840
Biting midges 665
Black blister beetle (Epicauta pennsylvanica) 591
Black carpet beetle (Attagenus piceus) 829
Black cherry aphid (Myzus cerasi) 53, 253, 303, 373, 393, 413, 436, 479, 798, 834, 864
Black cherry fruit fly (Rhagoletis fausta) 53, 436
Black cutworm (Agrotis ypsilon) 85, 119, 126, 174, 176, 299, 320, 431, 453, 502, 638,827
Black flies (Simulium spp.) 292, 580
Black-headed budworm (Acleris variana) 278, 543
Black Hills beetle (Dendroctonus ponderosae) 269, 420, 868,
Black horse fly (Tabanus atratus) 760
Black-margined aphid (Monellia costalis) 700, 755, 852,
Black peach aphid (Anuraphis persicae - niger) 324, 373,
Black pecan aphid (Melanocallis caryaefoliae) 458, 652
Black pine leaf scale (Aspidiotus californicus) 294, 486
Black scale (Saissetia oleae) 3, 30, 61, 117, 700, 859
Black thread scale (Ischnaspis longirostris) 792
Black turpentine beetle (Dendroctonus terebrans) 40, 63, 171, 270, 793, 822
Black vine weevil (Brachyrhinus sulcatus) 4, 421, 860, 865,
Black widow spider (Latrodectus mactans) 743
Bloodsucking conenose (Triatoma sanguisuga) 563
Blow flies 487
Blueberry maggot (Rhagoletis pomonella) 789, 842,
*Blueberry thrips (Frankliniella vaccinii) 842
Bluegrass webworm (Crambus teterrellus) 453, 586
Boll weevil (Anthonomus grandis) 40, 49, 62, 66, 82, 85, 134, 138, 139, 150, 159, 162, 193, 214, 243, 244, 247, 263, 264, 279, 291, 307, 331, 357, 363, 379, 400, 418, 441, 443, 463, 471, 482, 503, 519, 540, 558, 575, 592, 593, 611, 618, 633, 647, 648, 652, 661, 676, 688, 703, 740, 768, 810, 815, 821

Bollworms (Heliothis spp. et al) 66, 82, 86, 130, 138, 139, 160, 193, 227, 243, 263, 442, 443, 464, 484, 504, 520, 541, 559, 576, 593, 612, 618, 634, 648, 652, 662, 676, 689, 704, 716, 728, 742, 779, 802, 815, 853
Boxelder bug (Leptocoris trivittatus) 279, 294 532, 707, 719, 730, 742, 744, 782, 805, 830, 868
Boxwood psyllid (Psylla buxi) 376,
Braconids 760
Bronze birch borer (Agrilus anxius) 506, 562, 596, 829,
Brown-banded roach (Supella supellectilium) 248, 461, 803, 822
Brown-headed ash sawfly (Tomostethus multicinctus) 399
Brown-tail moth (Nygmia phaeorrhoea) 486, 503, 839
*Brown wheat mite (Petrobia latens) 204, 236, 282, 321, 344, 368, 390, 427, 432, 454, 531, 552, 712, 765, 843, 864
Bruce spanworm (Operophtera bruceata) 191,771
Bruchids 627, 813
Buck moth (Hemileuca maia) 245
Buckthorn aphid (Aphid abbreviata) 353, 461, 840, 848
Bud moths 285, 303, 664, 786
Budworms 147, 417, 703, 740, 758, 805
Buffalo gnats 67, 262, 445
Buffalo treehopper (Ceresa bubalus) 585

- C -

Cabbage aphid (Brevicoryne brassicae) 5, 49, 62, 74, 118, 133, 170, 240, 259, 306, 326, 397, 415, 469, 574, 674, 687, 701, 836, 841, 848, 860, 866
Cabbage caterpillars 9, 23, 170, 240, 260, 289, 306, 309, 326, 427, 439, 462, 481, 501, 610, 631, 646, 674, 686, , 701, 727, 758, 768, 778, 820, 841
Cabbage looper (Trichoplusia ni) 5, 35, 49, 75, 81, 119, 125, 128, 170, 176, 190, 213, 226, 240, 255, 289, 306, 326, 397, 417, 432, 462, 610, 631, 701, 715, 727, 738, 758, 777, 792, 800, 811, 813, 814, 834, 853, 860,
Cabbage maggot (Hylemya brassicae) 53, 79, 125, 155, 260, 306, 309, 315, 326, 350, 375, 397, 439, 461, 481, 502, 508, 829, 841.
Cabbage seedpod weevil (Ceutorhynchus assimilis) 240
Cabbage webworm (Hellula rogatalis) 660, 757, 834
Cadelle (Tenebroides mauritanicus) 391, 570
Calico scale (Lecanium cerasorum) 347
*California flathead borer (Melanophila californica) 272
California oakworm (Phryganidia californica) 486
California red scale (Aonidiella aurantii) 3, 61, 117, 189, 225, 471, 479, 517, 554, 738, 756, 799, 802, 859

*California tarantula (Eurpelma californica) 804
California tent caterpillar (Malacosoma californicum) 348, 374
*California tortoise shell (Nymphalis californica) 262, 356
Cankerworms (Geometridae) 79, 138, 173, 227, 275, 421, 444, 458
Carabid larvae 439
Carpet beetle (Anthrenus scrophulariae) 760, 838
Catfacing insects 127, 392, 688, 693, 787
Cattle biting louse (Bovicola bovis) 55
Cattle grubs (Hypoderma spp.) 40, 55, 79, 135, 151, 171, 245, 382, 488, 507, 613, 803, 861, 867
Cattle lice 55, 151, 215, 867
Cattle tick (Boophilus annulatus) 359
Chaff scale (Parlatoria pergandii) 799, 834
Chain-spotted geometer (Cingilia catenaria) 608
Cherry fruit fly (Rhagoletis cingulata) 393, 458, 478, 508, 588, 608, 788, 798, 844
Cherry fruitworm (Grapholitha packardi) 436, 789, 790,
Cherry leaf beetle (Galerucella cavicollis) 436
Chiggers 445, 523
Chinch bugs 3, 80, 84, 137, 1953 outlook 197, 206, 253, 283, 301, 321, 370, 391, 409, 430, 453, 473, 496, 512, 530, 531, 550, 584, 604, 623, 672, 804, 820, 827--on lawns 434, 712, 858
Chrysanthemum aphid (Macrosiphoniella sanborni) 779
Cigarette beetle (Lasioderma serricorne) 651, 743
Citricola scale (Coccus pseudomagnoliarum) 61, 286, 700
Citrus blackfly (Aleurocanthus woglumi) 215, 394, 500, 580, 766, 847
Citrus bud mite (Aceria sheldoni) 700
Citrus mealybug (Planococcus citri) 534
Citrus red mite (Metatetranychus citri) 3, 61, 117, 189, 238, 554, 700, 756, 799, 859
Citrus rust mite (Phyllocoptruta oleivora) 3, 61, 116, 117, 189, 224, 238, 394, 700, 756, 799, 834, 859
Citrus thrips (Scirtothrips citri) 238, 286, 305, 738, 799, 852
Clay-colored billbug (Calendra aequalis) 78
Clover aphid (Anuraphis bakeri) 52, 569
Clover leafhopper (Aceratagallia sanguinolenta) 236, 300, 368, 785
Clover leaf weevil (Hypera punctata) 127, 204, 221, 235, 236, 252, 281, 297, 300, 319, 342, 363, 367, 383, 410, 476, 606, 657, 805, 828, 863
Clover mite (Bryobia praetiosa) 54, 84, 130, 171, 204, 236, 255, 257, 285, 287, 302, 344, 382, 744, 787, 830, 851

Clover root borer (Hylastinus obscurus) 411, 828, 843,
Clover root curculio (Sitona hispidula) 235
Clover seed chalcid (Bruchophagus gibbus) 52, 67, 116, 158, 532, 599, 671, 775, 852
Clover seed weevils 154, 497,
Cluster fly (Pollenia rudis) 804, 824
Codling moth (Carpocapsa pomonella) 8, 53, 66, 125, 127, 129, 155, 158, 175, 192, 211, 284, 302, 323, 346, 371, 383, 392, 403, 412, 414, 434, 357, 469, 477, 479, 498, 515, 524, 533, 553, 571, 587, 606, 628, 644, 657, 672, 687, 693, 699, 755, 767, 773, 786, 787, 790, 791, 798, 810, 815, 841, 844, 859, 865
Colorado potato beetle (Leptinotarsa decemlineata) 9, 53, 68, 79, 129, 173, 213, 225, 248, 260, 289, 315, 327, 349, 374, 383, 385, 395, 403, 414, 438, 460, 481, 535, 555, 574, 589, 609, 841
Common cattle grub (Hypoderma lineatum) 69, 215, 245, 781, 794
Confused flour beetle (Tribolium confusum) 651
Cooley spruce gall aphid (Chermes cooleyi) 54, 381, 421
Corn billbugs (Calandra spp.) 453
Corn earworm (Heliothis armigera) 3, 5, 8, 28, 40, 52, 65, 75, 80, 82, 84, 125, 127, 128, 137, 157, 174, 192, 237, 252, 283, 300, 360, 370, 430, 436, 451, 474, 481, 489, 495, 500, 512, 513, 530, 545, 551, 568, 584, 598, 599, 604, 626, 642, 652, 656, 669, 674, 679, 683, 697, 701, 708, 711, 723, 726, 736, 739, 749, 775, 777, 785, 797, 805, 814, 827, 842, 858, 863, 866
Corn flea beetle (Chaetocnema pulicaria) 341, 388, 410, 430, 496, 513, 585, 827,
Corn leaf aphid (Rhopalosiphum maidis) 127, 174, 321, 370, 496, 551, 569, 586, 605, 625, 656, 672, 735, 775, 797, 809, 851, 858
Corn rootworms (Diabrotica spp.) 78, 531, 550, 569, 586, 599, 604
Corn sap beetles 82, 174, 530, 551, 568, 585, 605
Corn silk fly 291, 352
Cotton aphid (Aphis gossypii) 6, 39, 82, 85, 138, 292, 561, 677, 741, 759, 781, 815, 853
Cotton fleahopper (Psallus seriatus) 139, 160, 215, 243, 263, 264, 292, 307, 331, 358, 380, 401, 420, 442, 443, 465, 485, 502, 521, 522, 541, 561, 577, 594, 614, 618, 635, 815
Cotton insects, more important (list) 36, survey methods 159
Cotton leaf perforator (Bucculatrix thurberiella) 466, 634, 664, 689, 705, 716, 759, 853
Cotton leafworm (Alabama argillacea) 67, 86, 130, 139, 161, 466, 504, 521, 543, 561, 577, 595, 613, 618, 635, 649,

652, 668, 677, 689, 704, 717, 728, 741, 768, 793, 815, 853
Cotton square borer (Strymon melinus) 595
Cotton stainer (Dysdercus suturellus) 120
*Cotton stem moth (Platyedra vilella) 75, 76, 505, 780
*Cottonwood leaf mine (Proleucoptera albella) 54
Cottony-cushion scale (Icerya purchasi) 83, 83, 290, 305, 325, 802, 852
Cottony maple scale (Pulvinaria vitis) 79, 487, 502
Cowpea aphid (Aphis medicaginis) 283, 419, 574, 713, 833,
Cowpea curculio (Chalcodermus aeneus) 82, 370, 482
Cowpea weevil (Callosobruchus maculatus) 691
Cranberry fruitworm (Mineola vaccinii) 507, 588, 658,738
Cranberry weevil (Anthonomus musculus) 788
Crane flies 221, 805
Crickets 83, 531, 603, 616, 737,
Cross-striped cabbageworm (Evergestis rimosalis) 415
Cucumber beetles 125, 321, 395, 501, 660
Curculios 392, 436, 644
Currant aphid (Capitophorus ribis) 235, 436, 805,
Currant fruit fly (Epochra canadensis) 28, 54, 285, 294, 835
Cutworms 53, 62, 78, 79, 119, 125, 134, 147, 150, 154,156, 171, 172, 189, 190, 203, 216, 226, 227, 236, 253, 280, 281, 289, 292, 298, 305, 308, 328, 332, 344, 353, 370, 376, 377, 380, 381, 387, 393, 401, 402, 420, 423, 427, 431, 439, 446, 453, 461, 469, 475, 481, 485, 498, 502, 519, 643, 660, 661, 701, 715, 727, 789, 792, 836, 841, 842, 853
Cyclamen mite (Tarsonemus pallidus) 156, 560, 482, 611, 758, 789
Cynipids 351, 390, 533

- D -

Darkling beetles 119, 190, 227
Dark-sided cutworm (Euxoa messoria) 154
Deodar weevil (Pissodes nemorensis) 596
Dermestids 803, 823, 849
*Destructive pruneworm (Mineola scitulella) 393
Diamondback moth(Plutella maculipennis) 4, 176, 190, 226, 326, 462
Dingy cutworm (Feltia sp.) 154
Douglas-fir beetle (Dendroctonus pseudotsugae) 467, 233
Dried fruit mite (Carpoglyphus lactis) 598
Dutch elm disease 125

- E -

Ear tick (Otobius megnini) 382, 770, 794, 823, 867
Earwigs 61, 173, 691, 740
Eastern field wireworm (Limonius agonus) 391
Eastern larch beetle (Dendroctonus simplex) 157

Eastern spruce gall aphid (Chermes abietis) 353, 398
*Eastern subterranean termite (Reticulitermes flavipes) 227
Eastern tent caterpillar (Malacosoma americanum) 8, 81, 83, 84, 172, 191, 225, 262, 285, 294, 303, 324, 328, 348, 381, 399, 418, 427, 486, 505, 545, 839
Eggplant lace bug (Gargaphia solani) 557
*Egyptian alfalfa weevil (Hypera brunneipennis) 235, 299, 341, 852
Elm calligrapha (Calligrapha scalaris) 263, 691
Elm lace bug (Corythucha ulmi) 191, 579
Elm leaf beetle (Galerucella xanthomelaena) 6, 9, 67, 83, 173, 191, 382, 467, 487, 543, 578, 596, 615, 633, 650, 664, 678, 717, 771, 804, 829, 830, 839, 854, 868
Elm sawfly (Cimbex americana) 337
Elm spanworm (Ennomos subsignarius) 771
Elongate flea beetle (Systena elongata) 82, 698
Engelmann spruce beetle (Dendroctonus engelmanni) 2 6, 267, 729, 869
English grain aphid (Macrosiphum granarium) 51, 254, 282, 284, 321, 368, 390, 411, 427, 431, 456, 489, 508, 524, 532, 551, 585, 809, 842, 843, 858, 864
Engraver beetles 271
Euonymus scale (Unaspis euonymi) 86
European apple sawfly (Hoplocampa testudinea) 343, 403, 414, 458, 773, 783, 790
*European brown snail (Helix aspera) 117
*European chafer (Amphimallon majalis) 8, 383, 403, 469, 499, 516, 535, 599, trapping summary 847
European corn borer (Pyrausta nubilalis) 7, 52, 65, 78, Status 1953 93, 123, 129, 137, damage estimates 148, 153, 172, 174, 177, 191, 251, 298, 313, 340, 363, 366, 383, 387, 408, 414, 423, 429, 446, 450, 474, 489, 494, 507, 508, 511, 513, 524, 529, 545, 549, 567, 584, 591, 599, 604, 617, 625, 637, 641, 656, 670, 679, 683, 685, 696, 702, 735, survey in Western States 750, 771, 805, 814, 827, 841
European earwig (Forficula auricularia) 53, 120, 462, 537, 558, 575, 590, 611, 647, distribution 810, 867
European elm scale (Gossyparia spuria) 68, 79, 398, 467, 562
European fruit lecanium (Lecanium corni) 70, 258, 373, 394, 458, 479
European peach scale (Lecanium persicae) 534
European pine shoot moth (Rhyacionia buoliana) 294, 398, 444, 467, 505, 563, 665, 691
European red mite (Metatetranychus ulmi) 75, 125, 127, 153, 224, 248, 257, 279, 284, 286, 302, 309, 322, 347, 372, 403, 412, 414, 478, 516, 534, 570, 587, 607, 658, 673, 755, 787, 788, 790, 814, 842
European spruce sawfly (Diprion (Gilpinia) hercyniae) 840
European wheat stem sawfly (Cephus pygmaeus) 345, 390

Fall armyworm (Laphygma frugi perda) 22, 40, 65, 80, 82, 84, 197, 192, 340, 388, 409, 421, 452, 458, 482, 490, 512, 524, 531, 545, 569, 583, 598, 605, 626, 635, 642, 652, 657, 672, 675, 679, 684 685, 689, 696, 711, 723, 725, 736, 755, 775, 785, 797, 814, 833, 841, 851
Fall cankerworm (Alsophila pometaria) 275, 443, 487, 486, 543, 772, 859
Fall webworm (Hyphantria cunea) 9, 81, 86, 123, 373, 444, 486, 506, 523, 577, 578, 615, 650, 735, 761, 700, 705, 713, 720, 729
False chinch bug (Nysius ericae) 79, 85, 115, 300, 321, 334, 347, 611, 614, 62[illegible], 7[illegible]4, 75[illegible], 85[illegible], 834, 842
False wireworm 3[illegible]1, 447, 452, 452, 458, 736, 776
Field cricket (Acheta assimilis) 50, 86, 120, 316, 352, 677, 685, 387, 8[illegible]3
*Fig beetle (Cotinis ternana) [illegible], 737
Fig scale (Lepidosaphes ficus) 357, 800
*Filbert leafroller (Archips rosana) 285
Filbertworm (Melissopus latiferreanus) 57[illegible]
Fir engraver (Scolytus ventralis) 271, 3[illegible]
*Fir needleminer (Epinotia meritana) 276, 868
Flat grain beetle (Laemophloeus pusillus) 391, 468
Flatheaded apple tree borer (Chrysobothris femorata) 829
Fleas 468, 830
Flea beetles 9, 53, 66, 79, 82, 125, 129, 176, 226, 240, 261, 347, 349, 369, 373, 377, 383, 400, 403, 417, 420, 439, 453, 460, 462, 475, 480, 500 519, 573, 675, 686, 703, 811, 814, 841
Fleahoppers 301, 465
Fleeceworms 292, 422
Fletcher scale (Lecanium fletcheri) 399
Flies affecting man and animals 54, 138, 382, 597, 743, 759, 781, 794, 823, 842
Florida red scale (Chrysomphalus aonidum) 61, 117, 189, 238, 588, 700, 792, 802, 837
Flower thrips (Frankliniella tritici) 247, 261, 518
Forbes scale (Aspidiotus forbesi) 9, 81, 137, 192, 437, 589, 738
Forest insect summary - 1952, [illegible]
Forest tent caterpillar (Malacosoma disstria) 86, 156, 173, [illegible]46, 275, 356, 421, 443, [illegible]36, 467, 486, 505, 522, 544, 651, 771, 839, 840
Fowl tick (Argas persicus) 126, 729, 867
Foxglove aphid (Myzus solani) 508, 840
Fruit tree leaf roller (Archips argyrospila) 508
Fulgorids 376

Fuller rose beetle (Pantomorus godmani) 81, 83, 753, 779
Furniture carpet beetle (Anthrenus flavipes) 872

- G -

*Garden bagworm (Apterona crenulella) 4
Garden centipede (Scutigerella immaculata) 651
Garden fleahopper (Halticus bracteatus) 536, 630, 643, 701
Garden slugs 841
Garden springtail (Bourletiella hortensis) 461
Garden webworm (Loxostege similalis) 466, 522, 532, 539, 716, 728
German cockroach (Blattella germanica) 83
Giant hornet (Vespa crabro germana) 794
Gladiolus thrips (Taeniothrips simplex) 156
Glover scale (Lepidosaphes gloverii) 834
*Golden nematode (Heterodera rostochiensis) survey methods 31, 68
Gooseberry fruitworm (Zophodia convolutella) 365
Grain thrips (Limothrips cerealium) 583
Granary weevil (Sitophilus granarius) 391, 468, 803
Granulate cutworm (Feltia subterranea) 847
Grape berry moth (Polychrosis viteana) 535, 555, 768
Grape colaspis (Colaspis sp.) 454, 513, 568
Grape flea beetle (Altica chalybea) 325. 347, 373, 458, 776
Grape leaf folder (Desmia funeralis) 555
Grape leafhoppers 285, 347, 517, 558, 738, 777
Grape mealybug (Pseudococcus maritimus) 4, 524, 798
Grasshoppers 8, survey methods 15, 22, 40, 50, 67, 68, 78, 79, 84, 127, 129, 137, 169, 174, 191, 1953 outlook 193, 203, 251, 282, 298, 307, 318, 340, 366, 377, 387, 400, 408, 420, 422, 427, 443, 451, 466, 469, 471, 473, 494, 502, 507, 508, 511, 522, 523, 529, 530, 545, 549, 587, 585, 592, 599, 603, 614, 617, 625, 641, 655, 669, 683, 696, 702, 723, 735, 749, 757, 765, 797, 827, 843, 854, 863, 868, 871
*Great basin tent caterpillar (Malacosoma fragilis) 245, 273, 357
Great basin wireworm (Ctenicera pruinina noxia) 369
Greenbug (Toxoptera gramimum) 22, 28, 35, 48, 60, 65, 78, 116, 147, 189, 203, 205, 221, 236, 255, 282, 284, 300, 301, 321, survey methods 335, 385, 390, 477, 496, 508, 672, 707, 712, 775, 804, 809, 833, 846, 858
Green cloverworm (Plathypena scabra) 65, 87, 174, 175, 204, 256, 498, 592, 627, 631, 643, 671, 714
Green fruitworm (Lithophane antennata) 544

Greenhouse leaf tier (Phlyctaenia rubigalis)
Greenhouse thrips (Heliothrips haemorrhoidalis) 4
Greenhouse whitefly (Trialeurodes vaporariorum) 325, 327, 409, 330
Green June beetle (Cotinis nitida) 137, 192, 225, 305, 535, 554, 571, 606, 725, 765, 777
Green peach aphid (Myzus persicae) 29, 35, 48, 62, 82, 118, 128, 133, 170, 225, 227, 253, 259, 290, 307, 329, 348, 349, 351, 354, 372, 377, 393, 398, 413, 415, 437, 440, 443, 461, 482, 508, 519, 524, 632, 659, 701, 736, 777, 778, 786, 334, 840, 842, 844, 848, 859, 864
Green stink bug (Acrosternum hilare) 500
Green striped maplewoorm (Anisota rubicunda) 523, 543, 582, 599, 678, 691
Ground pearls 80, 243, 255, 583, 739
Gypsy moth (Porthetria dispar) survey methods 71, 151, control in Conn. 173, 191, 215, 315, 334, 382, 355, 434, 436, 499, 501, 31, 673, 680, 717, 771, 789, 790, 813, 839, 840

H -

Hackberry nipple gall (Pachypsylla celtidis mamma) 890
Harlequin bug (Murgantia histrionica) 36, 81, 240, 519, 674
Hawaiian beet webworm (Hymenia recurvalis) 728
Hawthorn lace bug (Corythucha cydoniae) 675
Hemlock sawfly (Neodiprion tsugae) 478
Hessian fly (Phytophaga destructor) 80, survey methods 143, 320, 344, 477, 514, 643, 698
Hickory bark beetle (Scolytus quadrispinosus) 677
Hickory shuckworm (Laspeyresia caryana) 81, 812
Hog louse (Haematopinus adventicius) 507
Honey bee (Apis mellifera) 69, 844
Hop aphid (Phorodon humuli) 574
Horned squash bug (Anasa armigera) 173
Horn fly (Siphona irritans) 40, 55, 67, 83, 120, 135, 193, 262, 292, 360, 382, 422, 445, 488, 507, 544, 598, 613, 632, 651, 665, 706, 718, 730, 867
Hornworms 36, 82, 128, 129, 138, 193, 261, 417, 461, 463, 482, 501, 519, 535, 545, 573, 610, 630, 647, 661, 675, 717, 726, 740, 758, 768, 867
Horse flies 67, 130, 422, 468, 487, 506, 563, 597, 616, 665, 691
House fly (Musca domestica) 29, 40, 69, 83, 130, 138, 193, 359, 360, 422, 468, 523, 544, 563, 580, 597, 632, 651, 706, 718, 743, 730, 812, 854, 861, 867
Human flea (Pulex irritans) 803

I -

Imported cabbageworm (Pieris rapae) 5, 53, 134, 170, 176, 248, 260, 350, 375, 462, 610, 652, 701, 715, 727, 768, 801, 838, 866

Imported currantworm (Nematus (Pteronidea) ribesii) 308
Imported fire ant (Solenopsis saevissima var. richteri) 6, 86, 231, 359
*Imported Japanese weevil (Calomycterus setarius) 173
Indian-meal moth (Plodia interpunctella) 391, 586, 632, 651, 665, 730, 731, 812
Insect summaries-1952-Utah 28, Ala. 40, Mont. 50, Tenn. 65, Wyo. 67, S. Dak. 78, Ga. 80, Miss. 83, R.I. 135, Md. 136, N. Mex. 139, N.C. 137, Cotton Ins. -Texas 138, Minn. 152, Mass. 172, Dela. 174, Vt. 191, S.C. 192, 1953-Fruit Ins. - N.Y.-N.E. 786, Fr. Ins. Yak. Val. Wash. 798, Ky. 805, N.J. 814, La. 814, Ind. 826, Me. 839, Wash. 842, Ariz. 851, Nev. 854, Utah 863.
Introduced pine sawfly (Diprion simile) 157, 665, 691
Ips beetles 272, 315, 390, 742
*Iris whitefly (Aleyrodes spiraeoides) 226, 349
Italian pear scale (Epidiaspis piricola) 80

- J -

Japanese beetle (Popillia japonica) 7, 125, 128, 137, 172, 173, 174, 175, 177, trapping results-1953-178, 421, 422, 459, 479, 499, 513, 515, 531, 535, 568, 571, 573, 608, 628, 688, 771, 789, 791, 805, 828
Jeffrey pine beetle (Dendroctonus jeffreyi) 270
June beetles 263, 286, 305, 371, 402, 469, 498, 554, 588
Juniper scale (Diaspis carueli) 705

- K -

Klamath weed beetles (Chrysolina spp.) 706

- L -

Lacewings 665, 760
Lady beetles 282, 423, 616, 665, 760
Larch casebearer (Coleophora laricella) 157, 278, 356, 398, 468, 839
Larch sawfly (Pristiphora erichsonii) 157, survey methods 229, 277, 427, 444, 468, 487, 505, 544, 563, 596, 637
Leaf-footed bug (Leptoglossus phyllopus) 414, 537, 754, 755
Leafhoppers -- on cereal and forage 23, 28, 127, 172, 189, 204, 236, 254, 283, 301, 343, 368, 389, 433, 496, 514, 570, 765, 785, 809, 832, 853, 863, 864 -- on fruit 80, 436, 455, 458, 738, 754, 787, 870 - on vegetables 9, 125, 430, 480, 537, 645, 727, 739, 792, 836 -- on cotton 443, 522, 614
Leaf miners -- on cereal and forage 28, 289, 352, 455, 754 - on fruit 347, 373, 393, 572, 788 -- on vegetables 117, 150, 190, 213, 306, 373, 437, 518, 631, 636, 660,

714, 754, 735, 778, 834--on cotton 215, 227, 231, 359, 522 -- on trees 678
Leafrollers 570, 608, 671, 677, 689, 781, 852, 854
Leatherjackets 236
Lepidopterous larvae (determinations) 38, 359, 486, 506, 652
Lesser appleworm (Grapholitha prunivora) 700
Lesser clover leaf weevil (Hypera nigrirostris) 52, 68, 154, 252, 342, 423, 454, 498, 842
Lesser cornstalk borer (Elasmopalpus lignosellus) 22, 80, 82, 84, 387, 455, 475, 495, 515, 533, 569, 610, 627, 644, 646, 659, 672, 674, 686, 702, 714, 736, 757, 765, 797, 819, 851
Lesser peach tree borer (Synanthedon pictipes) 81, 192, 248, 257, 334, 552
*Lettuce aphid (Macrosiphum barri) 631, 696
Lice on cattle 180, 188, 838, 837
Lily weevil (Anaphaerops nigra) 740
Linden looper (Erranis tiliaria) 487, 771
Locust borer (Megacyllene robiniae) 685
Locust leaf miner (Chalepus dorsalis) 9, 37, 508, 579, 615, 633, 664
Locust leaf roller (Salebria subcasiella) 10, 637
Lodgepole needleminer (Recurvaria milleri) 276
Lodgepole sawfly (Neodiprion burkei) 277
Lone star tick (Amblyomma americanum) 135, 292, 422, 468, 533, 597, 781
Long-nosed cattle louse (Linognathus vituli) 55
Loopers 225, 285, 274, 328, 385, 397, 636, 651
*Lupine maggot (Hylemya lupini) 20, 48, 74, 133, 139, 797, 809, 850
*Lupine weevil (Sitona explicita) 192
Lygus bugs 48, 52, 74, 79, 116, 133, 154, 155, 172, 241, 283, survey methods 312, 313, 321, 344, 367, 370, 389, 416, 433, 454, 465, 485, 497, 507, 508, 518, 522, 552, 557, 560, 570, 574, 577, 585, 606, 613, 627, 631, 633, 644, 649, 657, 66[illegible], 671, 677, 688, 690, 693, 717, 738, 741, 754, 797, 843, 852, 853, 860, 863, 868

- M -

Magnolia scale (Neolecanium cornuparvum) 596
Mantids 173
Maple bladder-gall mite (Vasates quardripedes) 399, 467, 829
Maple leaf cutter (Paraclemensia acerfoliella) 772
Maple trumpet skeletonizer (Epinotia aceriella) 772
Margined blister beetle (Epicauta solani) 82
May beetles 237, 240, 422, 434
Meadow maggot 256
Meadow plant bug (Miris dolabratus) 389
Meadow spittlebug (Philaenus leucophthalmus) 127, 221, 248, 254, 290, 294, 319, 320, 343, 417, 507, 552, 671, 828, distribution 843

Mealybugs 433, 378, 699, 754, 763
Mealy plum aphid (Hyalopterous arundinis) 346, 393, 807, 834
Mediterranean flour moth (Ephestia kuhniella) 468, 678
Mediterranean fruit fly (Ceratitis capitata) 325, 423
Melon aphid (Aphis gossypii) 85, 129, 176, 306, 376, 461, 518, 592, 631, 647, 757, 802
Melon fly (Dacus cucurbitae) 423
Melonworm (Diaphania hyalinata) 119, 463, 592, 660
Mexican bean beetle (Epilachna varivestis) 9, 40, 66, 68, 81, 85, 125, 128, 130, 137, 175,193, 213, 225, 240, 259, 287, 294, 305, 326, 352, 375, 394, 403, 416, 438, 454, 459, 482, 501, 518, 524, 537, 570, 574, 590, 610, 631, 646, 652, 651, 686, 702, 714, 723, 739, 768, 770, 778, 801, 820, 841, 863
Mexican fruit fly (Anastrepha ludens) 239, 394, 423
Millipedes 802
Mimosa webworm (Homadaula albizziae) 67, 123, 177, 506, 562, 579, 677, 690, 705
Mites--on cereal and forage 113, 169, 206, 236, 282, 301, 551, 819, 833, 837, 858, 864--on fruit 155, 372, 403, 738, 799, 867--on vegetables 125, 814--on trees and ornamentals 631, 758, 822, 868--affecting man and animals 67, 79, 279
Mole crickets 75, 611, 811
Mormon cricket (Anabrus simplex) 50, 68, 1953 outlook 196, 197, 251, 281, 298, 318, 340, 366, 387, 408, 429,451 456, 473, 512, 603, 655, 670, 696, 843, 854, 863, 868.
Mosquitoes 382, 402, 445, 487, 507, 563, 580, 598, 632, 718, 771
Mountain pine beetle (Dendroctonus monticolae) 268, 269, 868
Mourning-cloak butterfly (Nymphalis antiopa) 309, 579

- N -

Nantucket pine moth (Rhyacionia frustrana) 171, 563, 596, 690, 717
Narcissus bulb fly (Lampetia equestris) 398
Navel orangeworm (Myelois venipars) 4, 75, 800, 859
*Needle tying moth (Tortrix excessana) 317
Nitidulids 345, 606, 643, 867
Northern fowl mite (Bdellonyssus sylviarum) 215
Northern masked chafer (Cyclocephala borealis) 371, 374
Norway maple aphid (Periphyllus lyropictus) 381, 399, 421, 678, 843, 868
*Nut fruit tortrix (Laspeyresia splendora) 824

- O -

*Oak pruner (Hypermallus villosus) 81
*Oak scale (Lecanium quercifex) 86
Oblique-banded leaf roller (Archips rosaceana) 329, 647
Obscure scale (Chrysomphalus obscurus) 458

Old house borer (Hylotrupes bajulus) 178
Olive fruit fly (Dacus oleae) 423, [illegible]
Olive scale (Parlatoria oleae) 60, [illegible]116, [illegible], 308
Omnivorous leaf tier (Choephasia longana) [illegible]
*Omnivorous looper (Sabulodes caberata) 324, [illegible]
Onion maggot (Hylemya antiqua) survey methods [illegible], 155, 338, 350, 374, 383, [illegible], 412, 439, 482, 502, 538, [illegible], 586, 715, 738, 841, 842
Onion thrips (Thrips tabaci) 35, 307, 338, 397, 417, [illegible], 504, 514, 597, [illegible], 629, 686, 715, 8[illegible]
Orange tortrix (Argyrotaenia citrana) 3, 3[illegible], [illegible], 5[illegible], 647, 687, 755
Oriental fruit moth (Grapholitha molesta) [illegible], 91, 94, 1[illegible], 1[illegible], 2[illegible], 2[illegible], 303, 30[illegible], 3[illegible], [illegible], 3[illegible], 37[illegible], 38[illegible], [illegible], [illegible], 457, 473, 47[illegible], 517, [illegible], 58[illegible], 607, [illegible], 68[illegible], [illegible], 737, 770, 798, 844
Oystershell scale (Lepidosaphes ulmi) [illegible], 79, 157, [illegible], 3[illegible], 437, 787, 838

- P -

Pacific flatheaded borer (Chrysobothris mali) [illegible]
Pacific mite (Tetranychus pacificus) [illegible]
Painted lady (Vanessa cardui) [illegible], 73, 97, 30[illegible]
Pale-striped flea beetle (Systena blanda) 3[illegible]
Pales weevil (Hylobius pales) 227, 262, 430
Pale western cutworm (Agrotis orthogonia) 158, 368, 391, 411, 864
Parsnip webworm (Depressaria heracliana) 727
Pea aphid (Macrosiphum pisi) 40, [illegible], [illegible], 79, 120, 139, 159, 170, 174, 176, survey methods 188, 203, 221, 235, 237, 247, [illegible], 259, 284, 297, 302, 315, 318, 328, 341, 351, 357, 375, 382, 385, 388, 395, 410, 415, [illegible], 433, 437, 453, 459, 469, 481, 497, 502, 518, 531, 574, 586, 671, 684, 712, 735, 805, 814, 828, 842, 843, 851, 863, 866, 887
Pea leaf miner (Liriomyza langei) 328, 395, 439
Pea weevil (Bruchus pisorum) 170, damage survey 241, 315, 346, 459, 481, 518, 843, 867
Peach silver mite (Vasates cornutus) 28, 713
Peach tree borer (Sanninoidea exitiosa) 91, 175, 197, [illegible], 603, 713, 736, 737, 787
Peach twig borer (Anarsia lineatella) 413
Pear leaf blister mite (Eriophyes pyri) [illegible], 787
Pear midge (Contarinia pyrivora) 303, 309, 787
Pear psylla (Psylla pyricola) 150, 169, 211, 285, [illegible], 315, 333, 346, 363, 372, 533, 607, 639, 645, 688, 787, 798, 844
Pear slug (Caliroa cerasi) [illegible], 413, 589, 737, 865
Pear thrips (Taeniothrips inconsequens) 284

Pecan bud moth (Gretchena bolliana) 373
*Pecan catocala (Catocala viduata) 81
Pecan leaf casebearer (Acrobasis juglandis) 286
Pecan nut casebearer (Acrobasis caryae) 212, 324, 437
*Pecan spittlebug (Clastoptera achatina) 572, 589
Pecan weevil (Curculio caryae) 81, 608, 630, 645, 652, 673, 738, 766, 820
Pepper maggot (Zonosemata electa) 609
Pepper weevil (Anthonomus eugenii) 75, 462, 502, 661, 756, 860
Periodical cicada (Magicicada septendecim) 8, 286, 297, 304, 305, 315, 324, 348, 374, 393, 403, 413, 436, 459, 479, 499, 524, 535, 829
Pesticide outlook - 1953, 297
Pharoah ant (Monomorium pharaonis) 83
Pickleworm (Diaphania nitidalis) 81, 119, 129, 395, 438, 538, 557, 611, 660, 674, 686, 715, 727, 740
Pine bark aphid (Pineus strobi) 444, 467
*Pine colaspis (Colaspis pini) 596, 615
Pine engraver (Ips pini) 398, 562
Pine false webworm (Acantholyda erythrocephala) 294, 466
Pine needle miner (Exoteleia pinifoliella) 420, 444
Pine needle scale (Phenacaspis pinifoliae) 54, 68, 79, 156, 355, 467, 868
*Pine leaf aphid (Pineus pinifoliae) 420, 544, 579, 772, 839
Pine root collar weevil (Hylobius radicis) 615
Pine sawflies 126, 381, 398, 399, 444, 468, 486
Pine spittlebug (Aphrophora parallela) 420, 467
Pine tip moth 561
Pine tortoise scale (Toumeyella numismaticum) 398, 444, 467, 665
Pink bollworm (Pectinophora gossypiella) 35, 39, 77, status - 1952 121, 139, 161, 162, 163-165, 243, 291, 308, 315, 331, 358, 379, 402, 417, 442, 465, 484, 504, 521, 540, 560, 577, 595, 613, 636, 649, 663, 688, 704, 741, 769, 770, 780, 793, 810, 822, 837
Pitch twig moth (Petrova comstockiana) 597
Plant bugs 78, 125, 129, 456, 303, 324, 391, 454, 505, 594, 788, 790
Plum curculio (Conotrachelus nenuphar) 8, 40, 65, 79, 80, 125, 127, 155, 175, 192, 211, 223, 238, 247, 248, 257, 284, 294, 297, 301, 309, 315, 322, 345, 371, 391, 403, 412, 414, 435, 457, 478, 515, 534, 553, 571, 607, 629, 657, 672, 687, 693, 700, 776, 786, 787, 788, 790, 791
Plum gouger (Anthonomus scutellaris) 79, 324, 372, 436
Poplar vagabond aphid (Mordwilkoja vagabunda) 54
Potato aphid (Macrosiphum solanifolii) 82, 133, 225, 327, 349, 354, 414, 437, 461, 590, 701, 840, 848, 849

Potato flea beetle (Epitrix cucumeris) 176, 349, 374 415, 460, 479, 500, 518, 555, 589, 630, 345, 828, 841
Potato leafhopper (Empoasca fabae) 40, 43, 68, 79, 123, 139, 154, 155, 174, 175, 191, 218, 333, 384, 389, 395, 403, 433, 455, 460, 471, 480, 497, 500, 507, 517, 532, 537, 552, 572, 589, 627, 671, 738, 814, 828, 841
Potato psyllid (Paratrioza cockerelli) 36, 68, 74, survey methods 90, 306, 348, 353, distribution 378, 414, 423, 437, 460, 471, 480, 489, 517, 536, 555, 572, 590, 609, 652, 659, 685, 702, 778, 866
*Potato rot nematode (Ditylenchus destructor) 825
Potato stalk borer (Trichobaris trinotata) 55
Potato tuberworm (Gnorimoschema operculella) 555, 609, 753
Prairie grain wireworm (Ctenicera aeripennis destructor) 432
Predaceous mites 760
Psocids 797
Psyllids 362
Purple scale (Lepidosaphes beckii) 4, 61, 117, 189, 238, 700, 757, 799
Puss caterpillar (Megalopyge opercularis) 880

- R -

Rapid plant bug (Adelphocoris rapidus) 614, 664
Raspberry cane borer (Oberea bimaculata) 739
Raspberry fruitworm 739
Raspberry root borer (Bembecia marginata) 575, 865
Red-backed cutworm (Euxoa ochrogaster) 50, 538
Red-banded leaf roller (Argyrotaenia velutinana) 8, 127, 175, 211, 224, 238, 248, 256, 284, 294, 302, 309, 315, 323, 345, 371, 392, 413, 435, 478, 517, 583, 607, 629, 644, 658, 687, 693, 699, 776, 786, 790, 791
Redberry mite (Aceria essigi) 575
Red flour beetle (Tribolium castaneum) 468
Red harvester ant (Pogonomyrmex barbatus) 332
Red-headed pine sawfly (Neodiprion lecontei) 86, 157, 597
Red-humped caterpillar (Schizura concinna) 637
Red-humped oakworm 729
Red-necked peanutworm (Stegasta bosquella) 80, 532
Red turpentine beetle (Dendroctonus valens) 270, 398
Rhodes-grass scale (Antonina graminis) 237, 301
Rhubarb curculio (Lixus concavus) 416, 829
Rice stalk borer (Chilo plejadellus) 344
Rice stink bug (Solubea pugnax) 328
Rice weevil (Sitophilus oryza) 40, 85, 138, 192, 586, 698, 749, 813
Ring-legged earwig (Euborellia annulipes) 67

Root maggots 290
Rose aphid (Macrosiphum rosae) 241, 307, 352
Rose chafer (Macrodactylus subspinosus) 173, 458, 469, 508, 771, 789
Rose leafhopper (Typhlocyba rosae) 439, 737, 758
Rosy apple aphid (Anuraphis roseus) 8, 125, 128, 223, 248, 256, 285, 302, 323, 346, 393, 403, 413, 435, 457, 478, 629, 786, 841
Rusty plum aphid (Hysteroneura setariae) 81, 303, 775, 785, 809
*Ruths scale (Odonaspis ruthae) 301

S -

Saddleback caterpillar (Sibine stimulea) 49
Salt-marsh caterpillar (Estigmene acrea) 3, 5, 8, 469, 485, 489, 578, 627, 649, 660, 682, 717, 723, 740, 757, 759, 779, 853, 858, 860
Sand wireworm (Horistonotus uhlerii) 410
San Jose scale (Aspidiotus perniciosus) 81, 116, 156, 192, 225, 348, 373, 508, 738, 755, 787, 859
Sap beetles 513, 879
Saratoga spittlebug (Aphrophora saratogensis) 278, 467, 596
Satin moth (Stilpnotia salicis) 191, 466, 486, 506, 578, 772, 839
Sawflies--on cereal and forage 52, 411, 514--on fruit 482--on forest trees 49, 277, 381, 444, 487, 505, 615
Saw-toothed grain beetle (Oryzaephilus surinamensis) 391, 468, 570, 608
Say stink bug (Chlorochroa sayi) 67, 129, 130, 157, 456, 513, 713, 864
Scale insects 126, 135, 156, 225, 294, 398, 445, 729, 793, 812, 838
*Schoene spider mite (Tetranychus schoenei) 286, 287
Screw-worm (Callitroga hominivorax) 79, 83, 135, 193, 262, 293, 359, 445, 279, 507, 580, 597, 616, 632, 678, 706, 718, 770, 781, 794, 813, 822
Scurfy scale (Chionaspis furfura) 137, 156, 523
Seed chalcids 79
Seed-corn beetle (Agonoderus lecontei) 283, 423
Seed-corn maggot (Hylemya cilicrura) 49, 83, 85, 118, 128, 134, 150, 193, 213, 226, 240, 259, 290, 306, 308, 327, 340, 360, 369, 375, 379, 387, 395, 409, 416, 427, 440, 459, 524, 531, 646, 701, 727, 792, 809, 811, 827, 841
Serpentine leaf miner (Liriomyza sp.) 26, 49, 727, 792
Sheep biting louse (Bovicola ovis) 262
Sheep-tick (Melophagus ovinus) 55
Short-nosed cattle louse (Haematopinus eurysternus) 55
Shot-hole borer (Scolytus rugulosus) 28, 66, 479, 700, 755
Six-spotted leafhopper (Macrosteles fascifrons) 254, 389, 423, 453, 477, 591, 610, 674, 867

Six-spotted mite (Tetranychus sex maculatus) 117, 189, 238, 431, 558
Slugs 241, 322, 843
Smaller European elm bark beetle (Scolytus multistriatus) 356, 650, 690, 759
Snails 75, 849
Sod webworms 284, 410, 423, 430, 448, 453, 475, 699, 725, 728, 737, 827
Soft scale (Coccus hesperidum) 61, 847
Solpugids 760
Sorghum midge (Contarinia sorghicola) 712
Sorghum webworm (Celama sorghiella) 35, 657, 898
Southern beet webworm (Pachyzancla bipunctalis) 728
Southern cabbageworm (Pieris protodice) 323, 768, 794, 813
Southern corn rootworm (Diabrotica undecimpunctata howardi) 192, 283, 370, 387, 697, 736, 833
Southern cornstalk borer (Diatraea crambidoides) 341, 545, 697, 725
Southern green stink bug (Nezara viridula) 85, 328, 757, 767, 801, 837
Southern masked chafer (Cyclocephala immaculata) 707, 736
Southern pine beetle (Dendroctonus frontalis) 39, 370, 371, 381, 399, 706, 742, 729, 733
Southwestern corn borer (Diatraea grandiosella) 252, 340, 370, 430, 475, 495, 568, 585, 642, 656, 697, 707, 712, 725, 735, 749, 750, 809
Spider mites--on cereal and forage 23, 68, 147, 204, 221, 255, 389, 475, 553, 589, 583, 606, 626, 725, 749, 775, 843, 851--on fruit 8, 81, 238, 303, 347, 392, 435, 457, 478, 479, 489, 499, 524, 571, 587, 607, 629, 644, 653, 673, 700, 713, 776, 799, 844 --on truck crops 26, 85, 119, 170, 190, 240, 290, 327, 376, 393, 438, 502, 518, 534, 574, 591, 631, 646, 660, 687, 716, 739, 811 837, --on cotton 66, 82, 130, 133, 139, 162, 193, 227, 263, 332, 359, 381, 401, 420, 443, 465, 484, 504, 522, 542, 560, 576, 594, 613, 618, 634, 649, 664, 673, 689, 690, 705, 759, 815--on shade and forest trees 54, 172, 307, 543, 596, 861
Spinach flea beetle (Disonycha xanthomelas) 396, 573
Spinach leaf miner (Pegomya hyoscyami) 53, 155, 537
Spittlebugs 8, 50, 172, 174, 175, 204, 235, 254, 260, 281, 300, 320, 327, 343, 351, 360, 367, 389, 410, 417, 433, 443, 456, 462, 476, 627, 724, 736, 789, 805, 814, 842, 843, 844, 865
Spotted cucumber beetle (Diabrotica undecimpunctata howardi) 5, 9, 81, 83, 85, 119, 134, 175, 321, 352, 416, 433, 461, 660, 725, 740, 849
Spotted cutworm (Amathes c-nigrum) 154
Spotted Mediterranean roach (Ectobius livens) 632
Spotted tentiform leaf miner 776, 790

Spring cankerworm (Paleacrita vernata) 358, 343, 374, 381, 393, 421, 433, 772
*Spruce aphid (Neomyzaphis abietina) 674
Spruce bud scale (Physokermes piceae) 563
Spruce budworm (Choristoneura fumiferana) 472, 274, 357, 472, 550, 586
Spruce needle miner (Taniva albolineana) 444, 135
Spruce spider mite (Paratetranychus ununguis) 172, 299, 487, 702
Square-necked grain beetle (Cathartus quadricollis) 849
Squash beetle (Epilachna borealis) 172, 574
Squash bug (Anasa tristis) 32, 135, 176, 431, 501, 513, 573, 591, 611, 642, 633, 674, 757, 841, 867
Squash vine borer (Melittia cucurbitae) 176, 512, 573, 610, 617, 643, 687
Stable fly (Stomoxys calcitrans) 67, 38, 150, 441, 483, 544, 563, 618, 651, 677, 780, 867
Stalk borer (Papaipema nebris) 172, 430, 453, 475, 489, 494, 512, 541, 551, 807
State clearing offices 11, 618
*Stellate oak phylloxera (Phylloxera stellata) 797
Stink bugs 6, 103, 142, 157, 303, 314, 343, 437, 454, 473, 554, 573, 614, 618, 635, 701, 793, 814, 873
Stored grain insects--survey methods 633, 767, 743
Strawberry aphid (Capitophorus fragaefolii) 75, 134, 412
Strawberry crown borer (Tyloderma fragariae) 844
Strawberry crown moth (Ramosia bibionipennis) 351
Strawberry leaf roller (Ancylis comptana fragariae) 350, 376, 393, 439, 482, 557, 632, 789, 865
Strawberry root aphid (Aphis forbesi) 417
Strawberry root weevil (Brachyrhinus ovatus) 417, 462 , 538, 562, 598, 771, 830, 865
Strawberry spider mite (Tetranychus atlanticus) 613, 616
Strawberry weevil (Anthonomus signatus) 175, 297, 307, 351, 373, 440, 462, 789
Strawberry whitefly (Trialeurodes packardi) 779, 865
Blister beetles 65, 66, 74, 82, 113, 125, 221, 349, 415, 437, 476, 514, 536, 545, 553, 585, 591, 670, 713, 863
Striped cucumber beetle (Acalymma vittata) 9, 81, 120, 128, 321, 352, 396, 439, 461, 501, 661, 841
Striped cutworm (Euxoa tessellata) 154
Striped flea beetle (Phyllotreta striolata) 306, 390
Striped horse fly (Tabanus lineola) 718, 759
Suckfly (Dicyphus minimus) 573 703
*Sugar beet nematode (Heterodera schachtii) 702
*Sugar-beet root maggot (Eurycephalomyia myopaeformis) 53
Sugar-beet wireworm (Limonius californicus) 396, 555
Sugarcane beetle (Euetheola rugiceps) 84, 283, 344

Sugarcane borer (Diatraea saccharalis) survey methods 57,58 337, 279, 283, 370, 431, 495, 784, 814
Sunflower beetle (Zygogramma exclamationis) 617
Swaine jack-pine sawfly (Neodiprion swainei) 467, 665
Sweetclover weevil (Sitona cylindricollis) 52, 68, 79, 127, 154, 235, 252, 343, 368, 389, 433, 454, 514, 553
Sweetpotato flea beetle (Chaetocnema confinis) 177
Sweetpotato hornworm (Agrius cingulatus) 675, 715
Sweetpotato leaf beetle (Typophorus viridicyaneus) 85
Sweetpotato weevil (Cylas formicarius elegantulus) survey methods 74, 85, 779, 811
Sycamore lace bug (Corythucha ciliata) 9
Symphylids 843
Syrphids 48, 634, 635, 730

T -

Tabanids 445, 573, 597, 812
Tachina flies 794
Tarnished plant bug (Lygus lineolaris) 37, 44, 1[illegible], 1[illegible], 144, 238, 248, 253, 257, 284, 294, 303, 309, 343, 348, 433, 440, 454, 477, 485, 507, 522, 531, 790, 841, 842
*Taro leafhopper (Megamelus proserpina) 824
Tent caterpillars (Malacosoma spp.) 74, 338, 345, 544, 562, 615, 673, 70[illegible], 74[illegible], 78[illegible], 790,868
Termites 40, 193, 742, 867
Terrapin scale (Lecanium nigrofasciatum) 258, 673
Thistle aphid (Anuraphis cardui) 393
Thistle caterpillar 446
Three cornered alfalfa hopper (Spissistilus festinus) 30, 192, 221, 403, 507, 532, 585, 699, 708, 820, 852
Three striped blister beetle (Epicauta lemniscata) 84
Thrips --on cereal and forage 154, 343, 430, 475, 498, 533, 552 -on truck crops 190, 226, 240, 350, 415, 462, 481,573, 646, 675, 727, 800, 836 -- on cotton 66, 82, 138, 165, 190, 215, 293, 308, 331,358, 380, 401, 402, 419, 442,465, 485, 502, 522, 561, 590,740 beneficial 616
Ticks 445, 468, 530, 760, 781,867
Tobacco budworms (Heliothis sp.) 40, 82, 123, 290, 351, 377, 397, 463, 482, 519, 558, 573
Tobacco flea beetle (Epitrix hirtipennis) 176, 227, 350, 538, 558
Tobacco hornworms (Protoparce spp.) 176, 351, 377, 397,417, 440, 592, 805
Tobacco thrips (Frankliniella fusca) 263, 357, 440, 815
Tobacco wireworm (Conoderus vespertinus) 377
Tomato fruitworm (Heliothis armigera) 28, survey methods 43, 35, 129, 130, 176, 306, 396, 414, 461, 518, 537, 630, 685, 703, 716, 726, 739, 866
Tomato russet mite (Vasates lycopersici) 172, 537, 573, 590, 609, 630, 646, 659, 673, 702,
Tomato hornworm (Protoparce spp.) 590, 703, 715, 739, 753, 805, 841, 849

714, 756, 767, 802, 811, 814, 866, 871
Tuber flea beetle (Epitrix tuberis) 68, 158, 349, 459, 480, 489, 517, 536, 572, 590, 609, 630, 652, 659, 715
Tuliptree scale (Toumevella liriodendri) 793, 822
Turkey gnats 402
Turnip aphid (Rhopalosiphum pseudobrassicae) 35, 48, 62, 118, 133, 170, 439, 359, 820, 836, 848, 860
Turpentine beetles (Dendroctonus spp.) 83
Twig girdler (Oncideres cingulata) 718, 820
Twig pruner (Elaphidion villosum) 679
Two-spotted spider mite (Tetranychus bimaculatus) 75, 119, 125, 127, 134, 156, 204, 213, 226, 286, 294, 322, 327, 346, 368, 382, 415, 478, 501, 516, 523, 534, 545, 571, 587, 594, 607, 609, 613, 637, 646, 676, 692, 757, 779, 787, 789, 790, 801, 805, 851, 854

U

Ugly-nest caterpillar (Archips cerasivorana) 839

- V -

Variable oak leaf caterpillar (Heterocampa manteo) 216, 543, 562
Variegated cutworm (Peridroma margaritosa) 26, 83, 84, 95, 130, 253, 344, 368, 431, 453, 497, 489, 508, 558
Vedalia (Rodolia cardinalis) 852
Vegetable weevil (Listroderes costirostris obliquus) 6, 26, 62, 66, 81, 83, 85, 118, 126, 133, 137, 150, 170, 190, 193, 212, 290, 327, 331, 351, 359, 363, 377, 397, 767, 777, 815, 836, 861
Velvetbean caterpillar (Anticarsia gemmatalis) 40, 65, 80, 192, 569, 584, 605, 627, 637, 643, 652, 656, 671, 684, 698, 712, 725
Vetch bruchid (Bruchus brachialis) 65, 84, 514, 627, 725,
Vinegar flies (Drosophila spp.) 866

W

Walkingstick (Diapheromera femorata) 126, 276, 544, 579, 690
Walnut aphid (Chromaphis juglandicola) 616
Walnut caterpillar (Datana integerrima) 81, 458, 517, 535, 555, 597, 618, 630, 645, 658, 700, 755
Walnut husk fly (Rhagoletis completa) 800, 860
Weevils 26, 64, 120, 126, 192, 247, 260, 272, 299, 327, 383, 417, 744, 782, 785, 844
Western black flea beetle (Phyllotreta pusilla) 213
Western chinch bug (Blissus occiduus) 496
*Western corn rootworm (Diabrotica virgifera) 430, 545, 593, 643
Western grape leaf skeletonizer (Harrisina brillians) survey methods 525, 534, 714, 852, 865

*Western hemlock looper (Lambdina fiscellaria) 274
Western pine beetle (Dendroctonus brevicomis) 268
Western potato flea beetle (Epitrix subcrinita) 349
Western raspberry fruitworm (Byturus bakeri) 54
Western spotted cucumber beetle (Diabrotica undecimpunctata) 287, 557, 684
Western tussock moth (Hemerocampa vetusta) 611
*Western wheat aphid (Brachycolus tritici) 51, 456
*Western wheat stem maggot (Hylemya cerealis) 321
West Indian fruit fly (Anastrepha mombinpraeoptans) 423
Wheat head armyworm (Protoleucania sp.) 51, 605
Wheat jointworm (Harmolita tritici) 51, 531, 643, 864
Wheat stem maggot (Meromyza americana) 51, 68, 78, 411, 864
Wheat stem sawfly (Cephus cinctus) 27, 51, status 1952-140, survey methods 143, 477, 626
Wheat straw-worm (Harmolita grandis) 864
Wheat wireworm (Agriotes mancus) 108, 604
White apple leafhopper (Typhlocyba pomaria) 393, 732, 841
White flies 86, 189, 248, 260, 522, 552, 595, 714, 337, 377, 749, 774, 777, 801, 836
White-fringed beetles (Graphognathus spp.) 8, 40, 237, survey methods 361, 455, 552, 643, 684, 736, 749, 833
White grubs--on cereal and forage 192, 255, 383, 553, 570, 785, 833--on fruit 617, 789--
--on truck crops 619
-on shade and forest trees 467, 832
White-marked tussock moth (Hemerocampa leucostigma) 245, 523, 596, 650
White peach scale (Pseudaulacaspis pentagona) 4, 81, 768
White-pine sawfly (Neodiprion pinetum) 467, 637, 718
White-pine weevil (Pissodes strobi) 272, 332, 398, 487, 542, 635
Winter tick (Dermacentor albipictus) 135, 823
Wireworms 25, survey methods 44, 49, 50, 78, 236, 241, 247, 261, 283, 327, 387, 390, 395, 410, 414, 437, 446, 452, 456, 476, 480, 496, 513, 517, 536, 715, 779, 802, 828, 836, 841
Woolly alder aphid (Prociphilus tessellatus) 421
Woolly apple aphid (Eriosoma lanigerum) 30, 129, 224, 256, 534, 629, 645, 737, 767, 798, 820, 859
Woolly bear caterpillars 611, 626, 647
Woolly elm aphid (Eriosoma americanum) 54

- Y -

Yellow-margined leaf beetle (Microtheca ochroloma) 85, 119, 150, status 1952 194, 416

Yellow-necked caterpillar (Datana ministra) 127, 517, 568, 617, 739
Yellow scale (Aonidiella citrina) 31, 700
Yellow spider mite 787
Yellow-striped armyworm (Prodenia ornithogalli) 38, 40, 83, 84, 226, 300, 401, 402, 431, 452, 475, 485, 496, 513, 585, 626, 660, 677, 689, 701, 704, 716, 739, 742, 754, 785, 827, 853
Yellow sugarcane aphid (Sipha flava) 48, 255, 283, 301, 370, 391, 456, 775, 809
Yellow woollybear (Diacrisia virginica) 395, 375, 725
Zebra caterpillar (Ceramica picta) 83
Zimmerman pine moth (Dioryctria zimmermani) 544

SCIENTIFIC NAMES

*Common name not included in American Association of Economic Entomologists approved list

A -

Abebaea subsylvella (an oak leafworm) 222
Acalymma vittata (striped cucumber beetle) 9, 81, 120, 128, 321, 352, 396, 439, 461, 501, 660
Acantholyda erythrocephala (pine false webworm) 294, 463
Acanthoscelides obtectus (bean weevil) 631
Acaphylla steinwedeni (a mite) 173
Aceratagallia spp. (leafhoppers) 863
Aceratagallia sanguinolenta (clover leafhopper) 236, 300, 368, 389, 785
Aceria essigi (redberry mite) 57
Aceria sheldoni (citrus bud mite) 116, 700
Achatina fulica (*giant African snail) 215, 580
Acheta assimilis (field cricket) 36, 50, 86, 120, 616, 652, 677, 685, 837, 858
Acleris variana (black headed budworm) 278, 543
Acrobasis caryae (pecan nut casebearer) 324, 437
Acrobasis juglandis (pecan leaf casebearer) 286
Acrosternum hilare (green stink bug) 37, 392, 500, 628
Adelphocoris lineolatus (alfalfa plant bug) 154, 476, 552, 819
Adelphocoris rapidus (rapid plant bug) 37, 505, 594, 614, 664
Adelphocoris superbus (*superb plant bug) 37
Adoretus sinicus (*Chinese rose beetle) 825
Aedes spp. (mosquitoes) 382, 580
Aedes dorsalis 487
Aedes squamiger (California salt-marsh mosquito) 487
Aedes sticticus (flood-water mosquito) 487
Aedes varipalpus (western tree hole mosquito) 487
Aedes vexans 402, 487, 598
Aeoloplus turnbulli (a grasshopper) 523
Agasphoerops nigra (lily weevil) 740
Ageneotettix deorum (a grasshopper) 451
Agonoderus lecontei (seed-corn beetle) 423
Agonoxena argaula (a coconut moth) 325
Agrilus sp. (an oak borer) 706
Agrilus anxius (bronze birch borer) 506, 562, 596, 829
Agriotes mancus (wheat wireworm) 508
Agrius cingulatus (sweetpotato hornworm) 461, 675, 715
Agromyza parvicornis (corn blotch leaf miner) 512
Agrotis sp. 820
Agrotis malefida (pale sided cutworm) 38

Agrotis orthogonia (pale western cutworm) 158, 368, 391, 411, 864
Agrotis ypsilon (black cutworm) 38, 85, 119, 126, 174, 299, 320, 431, 453, 475, 538, 660, 701, 827, 853
Ahasverus advena (a grain beetle) 707
Alabama argillacea (cotton leaf worm) 38, 67, 86, 130, 139, 161, 466, 504, 521, 542, 561, 577, 595, 613, 635, 649, 663, 677, 689 , 704, 717, 728, 741, 768, 793, 815
Aleurocanthus woglumi (citrus blackfly) 215, 394, 500, 580, 766, 847
Aleurocybotus sp. (a whitefly) 749, 765, 775, 851
Aleyrodes spiraeoides (*iris whitefly) 226, 349
Alphitobius diaperinus (lesser mealworm) 719
Alsophila pometaria (fall cankerworm) 275, 421, 443, 467, 543, 772, 859
Altica ambiens (alder flea beetle) 355
Altica chalybea (grape flea beetle) 325, 347, 373, 458, 776
Amathes c nigrum (spotted cutworm) 154
Amblyomma americanum (lone star tick) 135, 293, 422, 445, 468, 563, 597, 781
Amphimallon majalis (*European chafer) 8, 383, 403, 469, 499, 513, 535, 599, 847
Amphitornus coloradus ornatus (a grasshopper) 129
Anabrus simplex (Mormon cricket) 50, 68, 251, 281, 298, 318, 340, 366, 387, 408, 429, 451, 473, 512, 603, 655, 670, 696, 711, 854
Anacampsis innocuella (a leaf tier) 467
Anaphothrips obscurus (grass thrips) 475
Anarsia lineatella (peach twig borer) 222, 413
Anasa armigera (horned squash bug) 176
Anasa tristis (squash bug) 82, 125, 176, 501, 518, 573, 591, 611, 646, 660, 674, 757, 867
Anastrepha ludens (Mexican fruit fly) 239, 394, 423
Anastrepha mombinpraeoptans (West Indian fruit fly) 239, 423
Anastrepha serpentina 423
Anastrepha spatulata 239
Anastrepha striata 423
Ancylis comptana fragariae (strawberry leaf roller) 350, 376, 396, 439, 482, 557, 632, 865
Andricus chrysolepidicola var. garryanae (a cynipid) 563
Anisota rubicunda (green-striped mapleworm) 523, 543, 562, 678, 691
Anopheles freeborni (a mosquito) 487
Anthonomus eugenii (pepper weevil) 75, 462, 502, 661, 756, 860
Anthonomus grandis (boll weevil) 37, 40, 66, 82, 85, 138, 139, 150, 159, 193, 214, 291, 307, 331, 357, 379, 400, 418, 441, 463, 483, 503, 519, 540, 558, 575, 592, 611, 633, 647, 661, 676, 688, 703, 728, 740, 758, 810, 815

Anthonomus rectirostris 64
Anthonomus scutellaris (plum gouger) 79, 324, 372, 436
Anthonomus signatus (strawberry weevil) 175, 307, 351, 376, 440, 462
Anthophila pariana (apple and thorn skeletonizer) 222
Anthrenus scrophulariae (carpet beetle) 760, 838
Anthrenus flavipes (furniture carpet beetle) 872
Anticarsia gemmatilis (velvet-bean caterpillar) 40, 65, 80, 192, 569, 584, 605, 627, 642, 653, 671, 684, 698, 712, 725
Antonina graminis (Rhodes grass scale) 237, 301
Anuraphis bakeri (clover aphid) 52, 569
Anuraphis cardui (thistle aphid) 393
Anuraphis maidi-radicis (corn root aphid) 37
Anuraphis persiae-niger (black peach aphid) 324, (see also page 373)
Anuraphis roseus (rosy apple aphid) 8, 125, 128, 223, 256, 285, 302, 323, 343, 393, 413, 435, 457, 478, 629, 841
Anurogryllus muticus (a cricket) 737
Aonidiella aurantii (California red scale) 8, 31, 117, 189, 225, 479, 517, 554, 738, 756, 799, 802, 859
Aonidiella citrina (yellow scale) 61, 700
Apanteles sp. (armyworm parasite) 452
Apanteles militaris (a parasite) 343
Aphelinus sp. (a parasite) 645
Aphis abbreviata (buckthorn aphid) 353, 480, 555, 675, 840, 848
Aphis fabae (bean aphid) 175,395, 438, 538, 574, 616
Aphis gossypii (cotton aphid) 6, 37, 39, 82, 85, 129, 138, 160, 176, 293, 306, 376, 461, 518, 542, 561, 592, 631, 647, 677, 741, 757, 759, 781, 802, 815, 853
Aphis heraclella 259
Aphis maidis (corn leaf aphid) 23, 127, 174, 321, 370 (see also Rhopalosiphum maidis)
Aphis medicaginis (cowpea aphid) 37, 286, 419, 574, 716, 863
Aphis persicae-niger (black peach aphid) 373, (see also page 324)
Aphis pomi (apple aphid) 54, 125, 128, 212, 223, 256, 285, 302, 323, 372, 413, 435, 457, 478, 498, 533, 554, 571, 588, 814, 841
Aphis spiraecola (spirea aphid) 348, 397
Aphrophora parallela (pine spittle- 420, 467
Aphrophora saratogensis (Saratoga spittlebug) 278, 467, 596
Apion aeneum (a weevil) 488
Apion carduorum (an artichoke weevil) 692
Apion radiolus (a weevil) 488
Apis mellifera (honey bee) 69
Apterona crenulella (*garden bagworm) 4
Archips sp. 54, 608
Archips argyrospila (fruit tree leaf roller) 222, 508

Archips rosaceana (oblique - banded leaf roller) 222, 329, 347
Archips rosana (*filbert leaf roller) 222, 285
Argas persicus (fowl tick) 126, 729, 867
Argyroploce leucotreta (*false codling moth) 124
Argyrotaenia citrana (orange tortrix) 222, 329, 352, 575, 647, 687, 755
Argyrotaenia velutinana (red-banded leaf roller) 2, 127, 175, 211, 224, 228, 268, 284, 302, 323, 345, 371, 392, 413, 435, 478, 517, 588, 607, 629, 644, 658, 687, 699, 773
Arhyssus sp. (a coreid) 744
Arhyssus bohemanii 740
Arion ater (a slug) 241, 329
Aristotelia disconotella (a gelechiid) 778
Aroga websteri (a gelechiid) 809
Asemoplus montanus (a grass - hopper) 50
Aciphum pseudobyrsa (an aphid) 596
Aspidiotus californicus (black pine leaf scale) 294, 486
Aspidiotus forbesi (Forbes scale) 9, 81, 192, 427, 589, 738
Aspidiotus perniciosus (San Jose scale) 81, 110, 192, 225, 348, 373, 738, 755, 859
Aspidiotus pseudospinosus (a rhododendron scale) 837
Asterocampa celtis (nymphalid) 336
Asterolecanium sp. (a scale insect) 445
Asterolecanium arabidis 398
Asterolecanium puteanum (a holly scale) 812
Attagenus piceus (black carpet beetle) 829
Aulocara sp. (a grasshopper) 669
Aulocara elliotti 50, 251, 298, 340, 432, 583
Autographa californica (alfalfa looper) 368, 800
Autoserica castanea (Asiatic garden beetle) 432, 572, 590

- B -

Badebecia urticana (a moth) 222
Baliosus ruber (a leaf miner) 678
Bdellonyssus sylviarum (northern fowl mite) 215
Bembecia marginata (raspberry root borer) 575, 865
Blaspstinus rufipes (a darkling beetle) 37
Blattella germanica (German cockroach) 83
Blissus sp. (a chinch bug) 531
Blissus leucopterus (chinch bug) 80, 206, 253, 283, 321, 370, 391, 409, 430, 453, 473, 496, 512, 530, 550, 584, 604, 626, 672, 858
Blissus leucopterus subsp. insularis (a chinch bug) 434, 584, 804, 827
Blissus occiduus (western chinch bug) 496, 531
Bondia comonana (a borer) 800
Boophilus annulatus (cattle tick) 350
Bourletiella hortensis (garden springtail) 461
Bovicola bovis (cattle biting louse) 55
Bovicola ovis (sheep biting louse) 262
Brachycolus tritici (*western wheat aphid) 51, 456

Brachyrhinus sp.p. (root weevils) 6, 844
Brachyrhinus ovatus (strawberry root weevil) 120, 417, 432, [illegible], 462, 598, 771, 830, 865
Brachyrhinus rugostriatus (a weevil) 120, 865
Brachyrhinus sulcatus (black vine weevil) 4, 417, 421, 860, 865
Bracon xanthonotus 516
Bradynotes kaibab (a grasshopper) 366
Bradynotes obesa 366
Brachystotheres venustus 533
Brevicoryne brassicae (cabbage aphid) [illegible], 35, 48, [illegible], 74, 118, 133, 170, [illegible], 240, [illegible], 306, [illegible], 397, 415, 500, [illegible]57, 574, 631, 671, 687, 701, 830, 841, 848, 860
Brevipalpus lewisi (a mite) 738
Brochymena quadripustulata (a stink bug) 177
Bruchophagus gibbus (clover seed chalcid) [illegible], [illegible]7, 113, 158, 234, 299, 671, 775, 852
Bruchus sp. 827, 813
Bruchus azaricus 813
Bruchus brachialis (vetch bruchid) 84, 314, 627, 725, 775
Bruchus dentipes 813
Bruchus lentis 813
Bruchus luteicornis 813
Bruchus pisorum (pea weevil) 29, 170, [illegible]41, 349, 439, 421, [illegible]18, 343, 366
Bruchus sibiricus 813
Bruchus signaticornis 813
Bruchus tristis 813
Bruneria brunnea (a grasshopper) 50
Bryobia sp. (a clover mite) 129, 130
Bryobia praetiosa (clover mite) 54, 84, 171, 204, 255, 257, 285, 287, 344, 382, 744, 830, 851
Bucculatrix canadensisella (birch skeletonizer) 690, 717, 839
Bucculatrix thurberiella (cotton leaf perforator) 466, 634, 664, 689, 705, 716, 759, 853

- C -

Calaphis annulata (an aphid) 717
Calaphis betulaecolens (an aphid) 717
Calaphis juglandis (a walnut aphid) 554, 738
Calendra sp. (a billbug) 301, 341, 369, 387, 408, 453, 513, 643
Calendra aequalis (clay colored billbug) 78
Caliroa cerasi (pear-slug) 53, 589, 737, 865
Caliroa lineata (a sawfly) 615
Calligrapha scalaris (elm calligrapha) 263, 691
Callitroga americana (see C. hominivorax)
Callitroga hominivorax (screwworm) 79, 83, 135, 193, 262, 293, 359, 445, 507, 580, 597, 616, 632, 678, 706, 718, 770, 781, 794, 822
Callosobruchus maculatus (cowpea weevil) 631
Calomycterus setarius (a weevil) 173, 729
Camula pellucida (clear winged grasshopper) 50, 153, 451, 530, 549, 583, 603, 625, 655, 669, 683, 854
Capitophorus fragaefolii (strawbeery aphid) 75, 134, 213

Capitophorus ribis (currant aphid) 285, 436, 865
Cardiochiles nigriceps (a parasite) 438
Carpocapsa pomonella (codling moth) 8, 53, 66, 125, 127, 129, 155, 158, 175, 192, 211, 222, 284, 302, 323, 346, 371, 392, 412, 457, 477, 498, 515, 533, 553, 571, 587, 606, 628, 644, 657, 672, 687, 699, 755, 767, 776, 798, 810, 814, 841, 844, 859, 865
Carpoglyphus lactis (dried fruit mite) 598
Carpophilus sp. (a corn sap beetle) 585, 605
Carpophilus dimidiatus (corn sap beetle) 551, 568
Carpophilus lugubris (a corn sapbeetle) 82, 174
Carposina sasake (a peach fruit moth) 124
Cathartus quadricollis (square-necked grain beetle) 849
Catocala maestosa (a phalaenid) 688
Catocala viduata (*pecan catocala) 81
Cavariella aegopodii (an aphid) 539, 866
Celama sorghiella (sorghum webworm) 65, 657, 698
Cephus cinctus (wheat stem sawfly) 51, 68, 140, 143, 477, 626
Cephus pygmaeus (European wheat stem sawfly) 345, 390
Ceramica picta (zebra caterpillar) 83
Ceratitis capitata (Mediterranean fruit fly) 325, 423, 719
Ceresa bubalus (buffalo treehopper) 585
Cerotoma trifurcata (bean leaf beetle) 65, 128, 175, 240, 259, 287, 320, 352, 370, 375, 394, 410, 433, 438, 455, 515, 570, 605, 627, 643, 670, 828
Ceutorhynchus spp. 55
Ceutorhynchus assimilis (cabbage seedpod weevil) 240
Ceutorhynchus erysimi (a weevil) 176
Chaetocnema confinis (sweetpotato flea beetle) 177
Chaetocnema pulicaria (corn flea beetle) 341, 388, 410, 453, 496, 513, 585, 827
Chalcodermus aeneus (cowpea curculio) 82, 370, 482
Chalepus dorsalis (locust leaf miner) 37, 506, 579, 615, 636, 664
Cheletominus berlesei (a predaceous mite) 760
Chermes abietis (eastern spruce gall aphid) 356, 398
Chermes cooleyi (cooley spruce gall aphid) 54, 381, 421
Chilo plejadellus (rice stalk borer) 344
Chilo simplex (Asiatic rice borer) 34
Chionaspis etrusca (a scale) 838
Chionaspis furfura (scurfy scale) 523
Chionodes mediofuscella (a moth) 222
Chionodes trophella (a moth) 222
Chlorochroa sayi (Say stink bug) 37, 67, 129, 157, 456, 513, 713, 864
Choristoneura sp. (a jack-pine budworm) 274

Choristoneura fumiferana (spruce budworm) 273, 357, 578, 650, 839
Chorizagrotis auxiliaris (army cutworm) 50, 116, 129, 158, 203, 205, 220, 236, 253,321, 388, 434
Chorthippus longicornis (a grasshopper) 50, 735
Chromaphis juglandicola (walnut aphid) 616
Chrysobothris femorata (flat-headed apple tree borer) 829
Chrysobothris mali (Pacific flat-headed borer) 258
Chrysochus cobaltinus (a milkweed beetle) 706
Chrysolina spp. (Klamath weed beetles) 706
Chrysolina gemellata 488
Chrysolina hyperici 488
Chrysomphalus aonidum (Florida red scale) 61, 117, 189, 238, 588, 700, 792, 802, 837
Chrysomphalus obscurus (obscure scale) 458
Chrysopa californica (a lacewing) 760
Chrysopa plorabunda (a lacewing) 616
Chrysops spp. (tabanids) 445,487
Chrysops flavida 445
Chrysops hinei 812
Chrysops vittata floridana 445
Cimex lectularius (bed bug) 678
Cinara winonkae (an arborvitae aphid) 376
Cingilia catenaria (chain-spotted geometer) 608
Circulifer tenellus (beet leafhopper) 41, 89, 130, 158, 259, 289, 306, 329, 350, 375, 396, 416, 438, 460, 481, 519, 536, 659, 674, 685, 702, 777, 853, 865
Clastoptera achatina (a pecan spittlebug) 572, 589
Clastoptera lawsoni (a spittlebug) 835
Clavigerus smithiae (an aphid) 678
Cleonus sp. (a curculionid) 761
Cleonus mendius (a curculionid) 761
Cleonus punctiventris (a curculionid) 761
Clepsis fucana (a moth) 222
Clinopleura melanopleura (a cricket) 603
Clysia ambiguella (a moth) 791
Cnephasia longana (omnivorous leaf tier) 222, 456
Cnephasia virgaureana (a tortricid) 871
Coccus hesperidum (soft scale) 61, 847
Coccus pseudomagnoliarum (citricola scale) 61, 286, 700
Coelophora inaequalis (a lady beetle) 39
Colaspis sp. (a grape colaspis) 454, 513, 568
Colaspis flavida (grape colaspis) 37
Colaspis pini (*pine colaspis) 596, 615
Coleophora laricella (larch casebearer) 157, 278, 356, 398, 468
Coleophora spissicornis (a clover casebearer) 698
Colias philodice eurytheme (alfalfa caterpillar) 320, 498, 527, 644, 657, 671, 699, 725, 754, 834, 852, 863
Compsilura concinnati (a parasite) of gypsy moth) 152
Conoderus spp. (wireworms) 395, 517
Conoderus amplicollis (Gulf wireworm) 513

Conoderus vagus 513, 536
Conoderus vespertinus (tobacco wireworm) 377, 513
Conotrachelus aquacata (an avocado weevil) 838
Conotrachelus nenuphar (plum curculio) 412, 435, 457, 478, 515, 534, 553, 571, 607, 629, 644, 657, 672, 687, 700, 776
Conozoa sp. (a grasshopper) 669
Contarinia pyrivora (pear midge) 303
Contarinia sorghicola (sorghum midge) 712
Conwentzia sp. (a dusty wing) 760
Corythucha ciliata (sycamore lace bug) 9
Corythucha cydoniae (hawthorn lace bug) 675
Corythucha ulmi (elm lace bug) 191, 579
Cotinis nitida (green June beetle) 137, 192, 226, 305, 535, 554, 571, 606, 725, 755, 775
Cotinis texana (a fig beetle) 555, 737
Crambus sp. (sod webworm) 222, 430, 453
Crambus teterrellus (bluegrass webworm) 453, 586
Crematogaster lineolata (an ant) 794
Creontiades debilis 37
Creontiades femoralis 37
Crioceris spp. (asparagus beetles) 287 328, 350, 375, 417, 462, 661
Criocerus asparagi (asparagus beetle) 53, 125, 128, 328
Crioceris duodecimpunctata (spotted asparagus beetle) 328
Crossidius hirtipes (a cerambycid) 744
Cryptococcus fagi (beech scale) 578, 839
Cryptolaemus montrouzieri (a lady beetle) 4
Ctenicera aeripennis destructor (Prairie grain wireworm) 432
Ctenicera glaucus (a wireworm) 513
Ctenicera pruinina noxia (Great Basin wireworm) 369
Ctenocephalides felis (cat flea) 830
Culex pipiens (northern house mosquito) 402, 445
Culex tarsalis (a mosquito) 487
Curculio caryae (pecan weevil) 81, 608, 630, 645, 673, 738, 766, 820
Curculio elephas (*European chestnut weevil) 824
Cycloneda sanguinea (a lady beetle) 39, 133
Cycloneda sanguinea immaculata (a lady beetle) 48
Cyclocephala borealis (northern masked chafer) 371, 374
Cyclocephala immaculata (southern masked chafer) 707, 736
Cylas formicarius elegantulus (sweetpotato weevil) 72, 85, 779, 811
Cylas puncticollis (a sweetpotato weevil) 693
Cylindrocopturus eatoni (a weevil) 272
Cyrtepistomus castaneus (a weevil) 9, 126, 744
Cyrtorhinus fulvus (a bug) 825

- D -

Dacus cucurbitae (melon fly) 692

Dacus dorsalis (oriental fruit fly) 325
Dacus oleae (olive fruit fly) 862
Dacus passiflora 423
Datana sp. (a caterpillar) 661
Datana integerrima (walnut caterpillar) 81, 458, 517, 535, 555, 597, 618, 630, 645, 700
Datana major (*azalea caterpillar) 83, 647, 675
Datana ministra (yellow-necked caterpillar) 127, 517, 588, 617, 729
Deltocephalus sp. (a leafhopper) 343
Dendroctonus spp. (conifer beetles) 83
Dendroctonus approximatus (Colorado pine beetle) 271
Dendroctonus arizonicus (Arizona pine beetle) 271
Dendroctonus barberi (southwestern pine beetle) 271
Dendroctonus brevicomis (western pine beetle) 268
Dendroctonus convexifrons (round-headed pine beetle) 271
Dendroctonus engelmanni (Engelmann spruce beetle) 268, 729, 868
Dendroctonus frontalis (southern pine beetle) 83, 270, 381, 399, 703, 742, 789, 793
Dendroctonus jeffreyi (Jeffrey pine beetle) 270
Dendroctonus monticolae (mountain pine beetle) 268, 868
Dendroctonus ponderosae (Black Hills beetle) 269, 420, 868
Dendroctonus pseudotsugae (Douglas-fir beetle) 267
Dendroctonus simplex (eastern larch beetle) 157, 231
Dendroctonus terebrans (black turpentine beetle) 40, 53, 171, 270, 703, 862
Dendroctonus valens (red turpentine beetle) 270, 398
Depressaria heracliana (parsnip webworm) 727
Dermacentor albipictus (winter tick) 135, 823
Dermacentor variabilis (American dog tick) 292, 309, 445, 549
Deroceras agreste (a garden slug) 241
Desmia funeralis (grape leaf folder) 555
Diabrotica spp. 78, 85, 501, 531, 550, 569, 586, 599, 604
Diabrotica balteata (banded cucumber beetle) 5, 213, 537, 742
Diabrotica longicornis (corn rootworm) 531
Diabrotica undecimpunctata howardi (southern corn rootworm, spotted cucumber beetle) 5, 9, 40, 81, 83, 119, 134, 175, 192, 283, 287, 321, 352, 370, 387, 415, 433, 461, 531, 557, 583, 630, 684, 697, 725, 733, 740, 833, 849
Diabrotica virgifera (*western corn rootworm) 430, 531, 545, 569, 586, 598, 604, 642
Diacrisia virginica (yellow woolly-bear) 395, 375, 725
Diaphania hyalinata (melonworm) 119, 433, 592, 660
Diaphania nitidalis (pickleworm) 81, 119, 129, 395, 438, 538, 557, 611, 660, 674, 686, 715, 747
Diapheromera sp. (phasmid) 759

Diapheromera femorata (walking-stick) 126, 276, 544, 579, 690
Diaspis carueli (juniper scale) 705
Diastrophus turgidus (a cynipid) 351
Diatraea crambidoides (southern cornstalk borer) 241, 697, 735
Diatrea grandiosella (southwestern corn borer) 252, 340, 370, 430, 475, 495, 568, 585, 642, 656, 697, 712, 725, 735, 749, 758, 809
Diatraea saccharalis (sugarcane borer) 57, 237, 283, 370, 431, 495, 684, 814
Dichomeris marginella (juniper webworm) 332
Dicyphus minimus (suckfly) 573, 703
Dikraneura carneola (a leaf hopper) 28, 29, 189, 204, 236, 455, 765, 864
Dikrella cockerelli (a leafhopper) 347, 785
Dioryctria zimmermani (Zimmerman pine moth) 544
Diprion sp. 486
Diprion simile (introduced pine sawfly) 157, 467, 505, 665, 691
Disonycha xanthomelas (spinach flea beetle) 396, 573
Dissoteira carolina (Carolina grasshopper) 84, 549, 625, 669
Dissosteira spurcata (a grass - hopper) 655, 669
Ditylenchus destructor (*potato rot nematode) 835
Drasterius mellilus (a wireworm) 476
Drepanopterna femoratum (a grasshopper) 50, 129, 523
Drosophila spp. (vinegar flies) 814, 836
Dysciuetus trachypygus (a rice beetle) 725
Dysdercus suturellus (cotton stainer) 120
Dyspessa ulula (a cossid) 744

- E -

Ectobius livens (spotted Mediterranean roach) 632
Elasmopalpus lignosellus (lesser cornstalk borer) 22, 80, 82, 84, 387, 455, 475, 495, 515, 533, 569, 610, 627, 644, 646, 659, 672, 674, 686, 702, 714, 736, 757, 765, 797, 819, 851
Eleodes sp. (false wireworms) 37, 432
Empoasca spp. (leafhoppers) 23, 254, 403, 455, 614, 738
Empoasca fabae (potato leafhopper) 40, 66, 68, 126, 154, 155, 174, 191, 218, 368, 389, 395, 433, 455, 460, 480, 497, 500, 514, 517, 532, 537, 552, 556, 570, 572, 589, 627, 671, 768, 828, 841
Empoasca filamenta (a leafhopper) 645, 739, 866
Endria spp. (leafhoppers) 23
Ennomos subsignarius (elm spanworm) 771
Eotetranychus uncatus (a spider mite) 303
Ephestia elutella (tobacco moth) 222

Ephestia kuhniella (Mediterranean flour moth) 222, 468, 578
Epicaerus spp. (potato weevils) 55
Epicauta spp. (blister beetles) 65, 83, 231, 349, 415, 437, 473, 514, 534, 578, 585, 591, 670
Epicauta fabricii (ash-gray blister beetle) 591
Epicauta lemniscata (three-striped blister beetle) 84
Epicauta pennsylvanica (black blister beetle) 591
Epicauta sola i (margined blister beetle) 82, 591
Epicauta vittata (striped blister beetle) 40, 82
Epidiaspis piricola (Italian pear scale) 30
Epilachna borealis (squash beetle) 176, 574
Epilachna varivestis (Mexican bean beetle) 9, 40, 66, 68, 81, 85, 125, 128, 130, 137, 175, 193, 213, 225, 240, 259, 287, 305, 325, 352, 373, 394, 416, 438, 454, 459, 486, 501, 518, 537, 553, 570, 574, 590, 610, 631, 646, 659, 686, 702, 714, 733, 739, 771, 778, 801, 820
Epinotia aceriella (maple trumpet skeletonizer) 772
Epinotia emarginana (a leaf roller) 222
Epinotia lomonana 222
Epinotia meritana (a fir needle-miner) 276, 868
Epinotia nanana (a needle miner) 492
Epitrix spp. (flea beetles) 53, 226, 240, 261, 415, 500
Epitrix cucumeris (potato flea beetle) 176, 349, 374, 415, 450, 479, 500, 518, 555, 589, 630, 645, 828, 841
Epitrix hirtipennis (tobacco flea beetle) 176, 227, 350, 538, 558
Epitrix subcrinita (western potato flea beetle) 349
Epitrix tuberis (tuber flea beetle) 4, 39, 48, 122, 158, 349, 415, 459, 480, 517, 536, 572, 590, 609, 630, 659, 715
Epizeuxis americalis (a moth) 222
Epochra canadensis (currant fruit fly) 28, 54, 286, 865
Erranis tiliaria (linden looper) 375, 487, 771
Eriococcus azaleae (azalea bark scale) 177
Eriophyes sp. (a bud gall mite) 399
Eriophyes convolvens (a budmite) 357
Eriophyes pyri (pear leaf blister mite) 54
Eriosoma americanum (woolly elm aphid) 54
Eriosoma lanigerum (woolly apple aphid) 60, 129, 224, 256, 534, 629, 645, 737, 767, 798, 820, 859
Eritettix tricarinatus (a grasshopper) 251
Erythroneura sp. (a grape leafhopper) 517, 558, 759
Erythroneura variabilis (a grape leafhopper) 285, 347, 738, 777
Estigmene acrea (salt-marsh caterpillar) 3, 5, 6, 38, 469, 485, 578, 627, 649,

660, 662, 717, 728, 740, 757, 759, 779, 853, 858, 860
Euborellia annulipes (ring-legged earwig) 67
Euborellia cincticollis (an African earwig) 740
Euetheola rugiceps (sugarcane beetle) 37, 84, 283, 344
Eurycephalomyia myopaeformis (a root maggot) 53
Euryophthalmus cinctus (a pyrrhocorid) 703
Eurypelma californica (*California tarantula) 804
Eurytoma orchidearum (orchidfly) 325
Euscepes sp. (a sweetpotato weevil) 55
Euschistus spp. (stink bugs) 257, 392
Euschistus conspersus 799
Euschistus impictiventris 37, 705
Euschistus tristigmus pyrrhocerus (a rice stink bug) 328
Eutrombicula alfreddugesi (chigger) 445
Euxoa messoria (dark-sided cutworm) 154
Euxoa ochrogaster (red-backed cutworm) 50, 538
Euxoa tessellata (striped cutworm) 154
Euzophera ochrifrontella (a moth) 222
Evergestis rimosalis (cross-striped cabbageworm) 415
Exitianus exitiosus (a leafhopper) 43
Exoteleia pinefoliella (pine needle miner) 420, 444

- F -

Faronta sp. (a wheat head armyworm) 51
Feltia sp. (a cutworm) 154, 660, 701, 853
Feltia subgothica (dingy cutworm) 434
Feltia subterranea (granulate cutworm) 38, 847
Fenusa pusilla (birch leaf miner) 173, 332, 444, 596
Forda sp. (a root aphid) 23
Forficula auricularia (European earwig) 53, 120, 462, 537, 558, 575, 590, 611, 647, 685, 867
Frankliniella spp. (thrips) 138
Frankliniella exigua (a thrips) 36
Frankliniella fusca (tobacco thrips) 36, 82, 263, 359, 440, 815
Frankliniella moultoni (thrips) 800
Frankliniella runneri (a thrips) 36
Frankliniella tritici (flower thrips) 36, 261, 475, 518

- G -

Galenara consimilis (a fir looper) 274
Galerucella cavicollis (cherry leaf beetle) 436
Galerucella xanthomelaena (elm leaf beetle) 3, 9, 67, 83, 173, 191, 382, 467, 487, 543, 578, 596, 615, 636, 650, 664, 678, 717, 771, 804, 829, 839, 854, 868
Geocoris sp. (a bug) 488, 760
Gluphisia septentrionis (notodontid) 636
Glyphonyx sp. (a wireworm) 517
Gnorimoschema sp. (gelechiid) 55, 692
Gnorimoschema operculella (potato tuberworm) 555, 609, 756
Gortyna flavago (a phalaenid) 730

Gossyparia spuria (European elm scale) 68, 79, 398, 437, 562
Gracilaria azaleella (azalea leaf miner) [illegible]
Graphiphora spp. (white-fringed beetles) 9, 40, [illegible], [illegible], 553, [illegible], [illegible], [illegible], 7[illegible], 9[illegible]
Grapholitha parleana (a moth) [illegible]
Grapholitha molesta (oriental fruit moth) [illegible], 41, 61, [illegible], 182, [illegible], [illegible], [illegible], 2[illegible], [illegible], [illegible], 4[illegible], [illegible], 4[illegible], 4[illegible], 4[illegible], 4[illegible], 5[illegible], [illegible], 7[illegible], [illegible], 1[illegible], 798, 9[illegible]
Grapholitha packardi (cherry fruitworm) [illegible], 7[illegible]
Grapholitha prunivora (lesser appleworm) [illegible], 7[illegible]
Gretchena bolliana (pecan bud moth) 573
Griselda radicana (a moth) [illegible]

- H -

Haematopinus adventicius (hog louse) [illegible]
Haematopinus eurysternus (short-nosed cattle louse) [illegible], [illegible]
Halisidota ingens (a tiger moth) 4[illegible]
Halticus bracteatus (garden flea hopper) 53[illegible], 530, 346, 701
Haplothrips niger (a thrips) 154
Harmolita grandis (wheat straw-worm) [illegible], [illegible]
Harmolita tritici (wheat joint-worm) [illegible], [illegible], 54[illegible], [illegible]
Harpiptoma pseudotsugae (a strawberry weevil) 48[illegible]
Harrisina brilliana (western grape leaf skeletonizer) 525, 534, 714, 852, 8[illegible]
Heilipus lauri (an avocado weevil) 3[illegible]
Heilipus squamosus (a weevil) 26
Heliothis spp. (budworms) 63, 193, 442, 464, 481, 504, 520, 541, 559, 573, 576, 593, 612, 633, 643, 364, 673, 639, 703, 704, 716, 728, 743, 302, 815
Heliothis armigera (corn earworm, bollworm, tomato fruitworm) 9, 5, 9, 28, 33, 40, 43, 52, 65, 75, 80, 84, 84, 85, 85, 1[illegible], 127, 128, 130, 137, 139, 1[illegible], 170, 174, 176, 194, 237, 1[illegible], 333, 339, 300, 3[illegible], 270, 3[illegible], 414, 430, 4[illegible], 451, 4[illegible], 474, 481, 495, 500, 512, 518, 530, 537, 541, 5[illegible], 559, 560, 568, 576, 584, 593, 604, 612, 626, 630, 633, 643, 653, 5[illegible], 674, 688, 685, [illegible], 701, 702, 711, 723, 7[illegible], 736, 739, 749, 775, 779, 785, 797, 805, 814, 827, 842, 853, 863, 866
Heliothis subflexa 86
Heliothis virescens (tobacco budworm) 38, 40, 84, 83, 148, 290, 331, 377, 397, 463, 482, 519, 559, 576, 593, 612, 633, 779
Heliothrips haemorrhoidalis (greenhouse thrips) 4
Helix aperta (*green snail) 75
Helix aspersa (*European brown snail) 117
Hellula rogatalis (cabbage webworm) 660, 757, 834
Hellula undalis (see H. rogatalis)

Hemerocampa leucostigma (white-marked tussock moth) 245, 523, 596, 650
Hemerocampa vetusta (western tussock moth) 611

Hemileuca maia (buck moth) 245
Hemimene jubana (an olethreutid) 824
Hemisarcoptes malus (predaceous mite) 760
Hercothrips fasciatus (bean thrips) 36, 801
Heterocampa manteo (variable oak leaf caterpillar) 216, 543, 582
Heterodera rostochiensis (*golden nematode) 31, 68
Heterodera schachtii (*sugar-beet nematode) 702
Hippodamia convergens (convergent lady beetle) 316, 760
Hofmannophila pseudospretella (a moth) 222
Homadaula albizziae (mimosa webworm) 177, 506, 582, 579, 677, 690, 705
Hoplocampa testudinea (European apple sawfly) 346, 403, 414, 458, 776
Horistonotus uhlerii (sand wireworm) 37, 410, 513
Hyalopteroides dactylidis (an aphid) 9
Hyalopterus arundinis (mealy plum aphid) 346, 393, 834
Hydrellia griseola (a leaf miner) 455
Hylastinus obscurus (clover root borer) 411, 828, 843
Hylemya sp. 192
Hylemya antiqua (onion maggot) 328, 350, 374, 396, 417, 439, 482, 502, 582, 557, 686, 715, 768, 843
Hylemya brassicae (cabbage maggot) 53, 79, 135, 155, 260, 306, 323, 350, 375, 397, 439, 431, 481, 820
Hylemya cerealis (*western wheat stem maggot) 321
Hylemya cilicrura (seed-corn maggot) 49, 83, 85, 118, 128, 134, 150, 169, 193, 213, 226, 240, 259, 283, 290, 306, 308, 327, 340, 369, 379, 387, 395, 409, 416, 440, 459, 531, 646, 701, 727, 792, 809, 811, 827, 841
Hylemya lupini (*lupine maggot) 20, 48, 74, 133, 797, 809, 850
Hylobius pales (pales weevil) 227, 262, 420
Hylobius radicis (pine root collar weevil) 615
Hylotrupes bajulus (old house borer) 173
Hymenia recurvalis (Hawaiian beet webworm) 728
Hypera spp. (299
Hypera brunneipennis (*Egyptian alfalfa weevil) 299, 341, 730, 852
Hypera meles (a weevil) 383, 433, 497, 514
Hypera nigrirostris (lesser clover leaf weevil) 52, 68, 154, 192, 252, 342, 383, 454, 498, 514, 842
Hypera postica (alfalfa weevil) 9, 28, 52, 67, 126, 157, 169, 175, 189, 203, 208, 220, 235, 252, 281, 299, 319, 342, 368, 388, 411, 454, 475, 497, 514, 532, 569, 583, 606, 809, 855, 863
Hypera punctata (clover leaf weevil) 127, 204, 221, 235, 252, 281, 300, 319, 342, 367, 410, 433, 476, 606, 677, 805, 828, 863

Hypermallus villosus (*oak pruner) 81, 579
Hyphantria cunea (fall webworm) 9, 81, 83, 123, 373, 444, 458, 483, 503, 523, 562, 578, 615, 650, 665, 691, 700, 705, 713, 729, 738
Hypoderma spp. (cattle grubs) 79, 135, 151, 171, 245, 488, 507, 616, 881
Hypoderma bovis (northern cattle grub) 55, 245, 382
Hypoderma lineatum (common cattle grub) 40, 55, 69, 215, 245, 382, 781, 794
Hyposoter exiguae (ichneumonid) 825
Hypsopygia costalis (clover hayworm) 422
Hysteroneura setariae (rusty plum aphid) 61, 303, 775, 785, 809

- I -

Icerya purchasi (cottony-cushion scale) 83, 86, 290, 305, 325, 803, 354
Iphidulus sp. (a mite) 644
Ips spp. (engraver beetles) 273
Ips avulsus 615
Ips calligraphus 86, 615, 742
Ips pini (pine engraver) 298, 562
Irbesia arcuata (a plant bug) 871
Itonida sp. (a needle midge) 27
Ischnaspis longirostris (black thread scale) 792

- K -

Kermes pubescens (a scale) 86

- L -

Labiduria riparia (an earwig) 61
Labops sp. (a plant bug) 78, 454
Labops hesperius (a plant bug) 51, 391
Laemophloeus pusillus (flat grain beetle) 391, 468
Lambdina athasaria athasaria (a hemlock looper) 274
Lambdina fiscellaria lugubrosa (*Western hemlock looper) 274, 381
Lambdina fiscellaria race somniaria (*hemlock spanworm) 122
Lampetia equestris (narcissus bulb fly) 398
Laphygma exigua (beet armyworm) 33, 381, 401, 484, 542, 560, 701, 727, 739, 757, 768, 792, 801, 834, 853
Laphygma frugiperda (fall armyworm) 22, 38, 40, 65, 80, 82, 84, 137, 192, 340, 388, 409, 452, 496, 512, 531, 568, 583, 605, 628, 635, 643, 657, 672, 675, 684, 685, 689, 696, 711, 723, 736, 765, 785, 797, 814, 833, 841, 851
Lasioderma serricorne (cigarette beetle) 651, 743
Laspeyresia sp. (a spruce cone moth) 33
Laspeyresia caryana (hickory shuckworm) 81, 212
Laspeyresia leguminis (a bean pod borer) 63, 135
Laspeyresia splendana (*nut fruit tortrix) 124, 824
Latrodectus mactans (black widow spider) 745

Lecanium spp. (scale insects) 125, 15[illegible]
Lecanium cerasorum (calico scale) 347
Lecanium corni (European fruit lecanium) [illegible]0, 15[illegible], 438, 373, 394, 4[illegible]3, 47[illegible]
Lecanium fletcheri (Fletcher scale) 389
Lecanium nigrofasciatum (terrapin scale) 358, 37[illegible]
Lecanium persicae (European peach scale) 334
Lecanium quercifex (an oak scale) 33
Lepidosaphes beckii (purple scale) [illegible]1, 117, 13[illegible], 438, 700, 75[illegible], 7[illegible]9
Lepidosaphes ficus (fig scale) 257, 800
Lepidosaphes gloverii (Glover scale) 834
Lepidosaphes newsteadi (a scale) 793
Lepidosaphes ulmi (oystershell scale) 54, 79, 35[illegible], 35[illegible], 467, 83[illegible]
Leptinotarsa decemlineata (Colorado potato beetle) [illegible], [illegible]3, 38, 129, 17[illegible], [illegible]13, 225, 260, 289, 327, 349, 374, 395, 414, 438, 460, 481, 53[illegible], 555, 574, 589, 60[illegible], 841
Leptocoris trivittatus (boxelder bug) 394, 6[illegible]4, 707, 713, 730, 74[illegible], 744, 78[illegible], 804, 805, 830, 8[illegible]8
Leptoglossus sp. (a leaf-footed bug) 754
Leptoglossus phyllopus (leaf-footed bug) 414, 537, 755
Leucania latiuscula (an armyworm) 252
Leucaspis japonica (a scale) 729
Leucinodes orbonalis (an eggplant fruit borer) 135
Limonius sp. 37
Limonius agonus (eastern field wireworm) 391
Limonius californicus (sugar-beet wireworm) 396, 452, 555
Limonius canus (Pacific Coast wireworm) 452
Limothrips cerealium (grain thrips) 569
Linognathus vituli (long-nose cattle louse) 55, 215
Liriomyza spp. (leafminers) 26, 49, 518, 591, 631, 660, 727, 802, 834
Liriomyza langei (pea leaf miner) 328, 395
Liriomyza subpusilla (a leafminer) 802
Lisomaphis berberidis (a barberry aphid) 397
Listroderes costirostris obliquus (vegetable weevil) 6, 26, 62, 66, 81, 82, 85, 118, 126, 133, 137, 150, 170, 190, 193, 212, 290, 327, 331, 351, 359, 377, 397, 767, 777, 815, 836, 861
Lithophane antennata (green fruitworm) 544
Litoprosopus coachella (a palm moth) 823
Lixus sp. (weevil) 761
Lixus concavus (rhubarb curculio) 416, 829
Lixus juni (a weevil) 761
Longistigma caryae (*giant hickory aphid) 294, 636
Longitarsus waterhousei (a mint flea beetle) 703
Lorryia sp. (predaceous mite) 730

Loxagrotis albicosta (*bean cutworm) 660
Loxostege commixtalis (alfalfa webworm) 446, 514, 552, 698, 797
Loxostege similalis (garden webworm) 38, 466, 481, 522, 532, 569, 716, 728
Loxostege sticticalis (beet armyworm) 53, 158, 350, 501, 538, 557, 591, 727, 797
Luperodes brunneus (corn silk beetle) 37
Lydella stabulans grisescens (A European corn borer parasite) 126, 670
Lygus spp. 28, 48, 52, 241, 283, 321, 344, 389, 416, 433, 454, 497, 501, 505, 518, 552, 560, 570, 574, 577, 585, 607, 613, 627, 631, 633, 644, 649, 657, 664, 671, 677, 688, 717, 736, 741, 754, 852, 853
Lygus elisus 37, 74, 133, 283, 367, 863
Lygus hesperus 37, 74, 116, 133, 283, 367, 698, 797, 863
Lygus lineolaris (tarnished plant bug) 37, 67, 84, 192, 224, 238, 253, 257, 284, 303, 343, 348, 392, 433, 440, 454, 477, 485, 505, 531, 557, 594, 841
Lysiphlebus testaceipes (greenbug parasite) 205
Lytta spp. (blister beetles) 591

- M -

Macrodactylus subspinosus (rose chafer) 173, 458, 508, 771
Macropsis fuscula (a leafhopper) 870
Macrosiphoniella sanborni (chrysanthemum aphid) 779
Macrosiphum barri (an aphid) 352
Macrosiphum granarium (English grain aphid) 23, 51, 254, 282, 321, 342, 368, 369, 390, 402, 431, 456, 532, 551, 585, 609, 809, 842, 843, 858, 864
Macrosiphum pisi (pea aphid) 40, 57, 120, 127, 129, 169, 170, 174, 183, 203, 212, 221, 235, 254, 259, 282, 287, 299, 318, 326, 341, 351, 367, 375, 388, 395, 410, 415, 433, 437, 456, 481, 497, 518, 574, 583, 671, 684, 712, 765, 805, 814, 828, 842, 843, 851, 863
Macrosiphum rosae (rose aphid) 241, 307, 352
Macrosiphum solanifolii (potato aphid) 82, 133, 225, 261, 327, 349, 354, 414, 437 480, 500, 555, 590, 701, 840, 848, 849
Macrosteles fascifrons (six-spotted leafhopper) 254, 389, 423, 431, 453, 477, 558, 591, 610, 674, 867
Magdalis sp. (a twig weevil) 325
Magicicada casinii 8
Magicicada septendecim (periodical cicada) 8, 286, 304, 305, 324, 348, 374, 393, 413, 436, 459, 479, 499, 535, 829
Malacosoma spp. 54, 325, 544, 562

Malacosoma americanum (eastern tent caterpillar) 9, 81, 83, 84, 172, 191, 225, 232, 285, 303, 324, 328, 348, 381, 399, 413, 467, 505, 645, 839
Malacosoma californicum (California tent caterpillar) 348, 374
Malacosoma disstria (forest tent caterpillar) 86, 156, 173, 245, 275, 356, 421, 443, 466, 467, 468, 505, 522, 544, 651, 771, 839
Malacosoma fragilis (*Great Basin tent caterpillar) 245, 276, 357, 742
Mallophorina pulchra (a robber fly) 865
Margarodes meridionalis (a ground pearl) 80, 248, 255, 333
Maruca testulalis (*bean pod borer) 692
Matsucoccus sp. (scale) 278
Megacyllene robiniae (locust borer) 665
Megalopyge opercularis (puss caterpillar) 860
Megamelus proserpina (*taro leafhopper) 824
Melanocallis caryaefoliae (black pecan aphid) 458
Melanolophia imitata (a fir looper) 274
Melanophila californica (*California flathead borer) 272
Melanoplus spp. 174, 251, 473, 494, 603, 625, 655
Melanoplus bivittatus (two-striped grasshopper) 18, 36, 78, 153, 298, 366, 408, 429, 451, 473, 508, 523, 529, 530, 549, 617, 625, 641, 655, 669, 683
Melanoplus bruneri 50
Melanoplus confusus 451, 469, 494, 549, 683, 723
Melanoplus cuneatus 298, 340
Melanoplus devastator (devastating grasshopper) 196, 603, 614
Melanoplus differentialis (differential grasshopper) 18, 36, 78, 84, 137, 174, 251, 298, 429, 473, 508, 511, 529, 530, 549, 567, 583, 669, 683, 711, 827
Melanoplus femur-rubrum (red-legged grasshopper) 36, 40, 78, 153, 298, 429, 473, 508, 511, 529, 530, 549, 567, 583, 603, 617, 625, 641, 655, 669, 683, 696, 711, 723, 735, 827
Melanoplus foedus 655
Melanoplus gladstoni 723
Melanoplus mexicanus (lesser migratory grasshopper, Rocky Mountain grasshopper) 17, 22, 36, 50, 78, 84, 153, 169, 196, 284, 298, 340, 408, 422, 429, 451, 473, 508, 523, 530, 549, 567, 603, 617, 625, 641, 655, 669, 683, 708, 711, 735, 827
Melanoplus occidentalis 422
Melanotus sp. (wireworms) 437
Meligethes seminulum (a nitidulid) 345, 606, 643
Melissopus latiferreanus (filbertworm) 223, 572
Melittia cucurbitae (squash vine borer) 176, 518, 573, 610, 617, 646, 687
Meloe augusticallis (a blister beetle) 113
Melophagus ovinus (sheeptick) 55
Meromyza sp. (a wheat stem maggot) 605
Meromyza americana (wheat stem maggot) 51, 68, 78, 411, 864

Mesamoicus sp. (a weevil) 470
Metatetranychus citri (citrus red mite) 3, 41, 117, 233, 700 756, 859
Metatetranychus ulmi (European red mite) 75, 125, 127, 155, 156, 189, 221, 271, 284, 287, 302, 324, 347, 371, 392, 414, 479, 489, 511, 532, 552, 571, 607, 643, 673, 754, 776, 814, 842
Metator paradalinus (a grasshopper) 80
Miccotrogus picirostris (a clover seed weevil) 154
Microcentrus sp. (European corn borer parasite) 127
Microtheca ochroloma (yellow-margined leaf beetle) 85, 119, 150, 191, 416
Mineola scitulella (*destructive pruneworm) 223, 393
Mineola tricolorella (a cherry fruitworm) 534
Mineola vaccinii (cranberry fruitworm) 507, 568, 591
Miris dolabratus (meadow plant bug) 349
Mocis sp. (a caterpillar) 699
Mocis repanda (a phalaenid) 301, 712, 737, 765
Monellia sp. (a pecan aphid) 792
Monellia costalis (black-margined aphid) 700, 755, 952
Monomorium pharaonis (Pharoah ant) 82
Mordwilkoja vagabunda (poplar vagabond aphid) 54
Mormidea pictiventris (a stink bug) 428
Murgantia histrionica (harlequin bug) 68, 810, 819, 874
Musca domestica (house fly) 10, 40, 69, 83, 130, 138, 359, 422, 468, 544, 583, 530, 597, 651, 706, 718, 743, 760, 812, 834, 861
Mycterophora longipalpata (a moth) 223
Myelois venipars (navel orangeworm) 4, 75, 800, 859
Myochrous denticollis (a leaf beetle) 446, 455
Myzocallis tiliae (an aphid) 378
Myzus cerasi (black cherry aphid) 53, 253, 303, 373, 393, 413, 436, 479, 798, 834, 865
Myzus persicae (green peach aphid) 29, 35, 48, 62, 82, 118, 128, 133, 170, 182, 212, 225, 227, 253, 259, 261, 290, 307, 329, 346, 349, 354, 372, 377, 393, 398, 412, 415, 437, 450, 500, 513, 529, 585, 604, 682, 694, 675, 701, 726, 777, 779, 798, 834, 840, 842, 848, 859, 864
Myzus solani (foxglove aphid) 430, 555, 840

- N -

Nauphoeta cinera (a cockroach) 113, 120
Nematus (Pteronidea) ribesii (imported currantworm) 608
Nemobius fasciatus (*striped ground cricket) 83
Neoalcis californiaria (a moth) 223
Neoborus sp. (an ash plant bug) 58

Neodiprion sp. (sawfly) 49, 277, 444
Neodiprion americanus 277
Neodiprion burkei (lodgepole sawfly) 277
Neodiprion dyari 126
Neodiprion lecontei (red-headed pine sawfly) 83, 157, 505, 597
Neodiprion nanulus 398, 467, 505
Neodiprion pinetum (white pine sawfly) 437, 718
Neodiprion sertifer 281, 396, 444
Neodiprion swainei (Swaine jackpine sawfly) 467
Neodiprion tsugae (hemlock sawfly) 278
Neodiprion virginiana 665
Neolecanium cornuparvum (magnolia scale) 596
Neoleucinodes elegantalis (a fruitworm) 885
Neomyzaphis abietina (an aphid) 634
Nepticula slingerlandella (a plum leaf miner) 572
Nesosteles spp. (leafhoppers) 38
Nezara viridula (southern green stink bug) 87, 85, 318, 757, 767, 782, 801, 837
Niesthrea sidae (a coreid) 820
Nomophila noctuella (a pyralid) 628
Nymmia phaeorrhoea (brown-tail moth) 829
Nymphalis antiopa (mourning cloak butterfly) 309, 579
Nymphalis californica (*California tortoise shell) 262, 523, 353
Nysius sp. (a false chinch bug) 215
Nysius ericae (false chinch bug) 79, 85, 215, 300, 321, 324, 611, 614, 719, 754, 756, 852, 864

- O -

Oberea myops (a borer) 83
Odonaspis ruthae (Ruths scale) 301
Oedaleonotus sp. (grasshopper) 530
Oedaleonotus enigma (a grasshopper) 298, 336, 613, 614, 355, 369
Olidia tonsa (a moth) 223
Oncideres cingulata (twig girdler) 718, 820
Oncometopia undata (a leafhopper) 522
Operophtera bruceata (Bruce spanworm) 191, 771
Orchopeas howardii (a flea) 468
Orius sp. (lady beetle) 488
Oryzaephilus surinamensis (saw-toothed grain beetle) 391, 468, 570, 609
Otobius megnini (ear tick) 382, 770, 794, 823, 867

- P -

Pachylobius picivorus (a curculionid) 282
Pachynematus sp. (a sawfly) 514
Pachypsylla celtidis - mamma (hackberry nipple gall) 830
Pachyzancla sp. (a sod webworm) 737
Pachyzancla bipunctalis (southern beet webworm) 728

Paleacrita vernata (spring canker-worm) 79, 258, 348, 374 381, 393, 421, 466, 772
Panaphis juglandis (an aphid) 755
Pandemis pyrusana (*apple pandemis) 223
Pantomorus godmani (Fuller rose beetle) 81, 83, 753, 779
Papaipema nebris (stalk borer) 38, 172, 430, 453, 475, 495, 512, 551, 827
Paraclemensia acerifoliella (maple leaf cutter) 772
Paratetranychus sp. (a mite) 287, 664
Paratetranychus coiti 707, 760
Paratetranychus pratensis (a mite) 23, 204, 206, 749, 775, 843, 851
Paratetranychus ununguis (spruce spider mite) 399, 487, 506
Paratetranychus yothersi (avocado red mite) 26
Paratrioza cockerelli (potato psyllid, tomato psyllid) 23, 68, 90, 306, 348, 378, 414, 437, 460, 480, 517, 533, 555, 572, 590, 609, 659, 685, 702, 778, 866
Parlatoria oleae (olive scale) 60, 116, 225, 608
Parlatoria pergandii (chaff scale) 799, 834
Pectinophora gossypiella (pink bollworm) 35, 38, 39, 77, 121, 139, 161, 243, 291, 308, 331, 358, 379, 402, 419,442, 465, 484, 504, 521, 541,560, 577, 595, 613, 636, 649, 663, 688, 704, 741, 769, 770, 780, 793, 810, 822, 837
Pegomya hyoscyami (spinach leaf miner) 53, 155, 537
Penthaleus major (a mite) 169, 206, 858
Peridroma margaritosa (variegated cutworm) 23, 38, 83, 130, 253, 344, 368, 431, 453, 497, 558
Periphyllus lyropictus (Norway - maple aphid) 381, 399, 421, 542, 673, 843, 868
Periphyllus populicola (an aphid) 742
Petrobia latens (*brown wheat mite) 24, 25, 204, 206, 207, 233, 282, 321, 344, 368, 390, 432, 454, 531, 552, 712, 765, 843, 864
Petrova comstockiana (pitch twig moth) 597
Petrova virginiana (a twig borer) 356
Phenacaspis pinifoliae (pine needle scale) 54, 68, 79, 355, 467, 868
Phenacoccus sp. (a mealybug) 699, 754, 766
Phigalia titea (cankerworm) 275
Philaenus spp. (spittlebugs) 174
Philaenus leucophthalmus (meadow spittlebug) 127, 174, 221, 235, 254, 290, 300, 319, 343, 417, 552, 671, 828
Phlibostroma quadrimaculatum (a grasshopper) 129, 523
Phlyctaenia rubigalis (greenhouse leaf tier) 6
Phormia regina (black blow fly) 487
Phorodon humuli (hop aphid) 539
Phryganidia californica (California oakworm) 486
Phyllaphis fagi (a woolly aphid) 398
Phyllocoptes sp. (an eriophyid mite) 822

Phyllocoptruta oleivora (citrus rust mite) 3, 31, 113, 189, 224, 238, 394, 554, 700, 753, 799, 834, 859
Phyllophaga spp. (May beetles) 402, 422, 434, 498, 553, 570, 617, 822
Phyllophaga anxia 434
Phyllophaga fusca 371, 434
Phyllophaga pallidus 555
Phyllophaga rugosa 434
Phyllophaga tristis 434
Phyllotreta sp. (a flea beetle) 173, 415
Phyllotreta atra 692
Phyllotreta consobrina 692
Phyllotreta cruciferae 386
Phyllotreta pusilla (western black flea beetle) 213
Phyllotreta striolata (striped flea beetle) 306, 398
Phyllotreta undulata 692
Phyllotreta vittula 692
Phylloxera stellata (*stellate oak phylloxera) 595
Physokermes piceae (spruce bud scale) 561
Phytalus pallidus (a June beetle) 588
Phytomyza sp. (leaf miner) 347
Phytophaga destructor (hessian fly) 30, 143, 220, 344, 477, 514, 543, 698
Pieris protodice (southern cabbage-worm) 326, 768, 794, 813
Pieris rapae (imported cabbage-worm) 9, 53, 134, 170, 173, 240, 260, 326, 350, 375, 397, 462, 501, 556, 610, 701, 715, 727, 801, 836
Pineus pinifoliae (a pine leaf aphid) 420, 544, 573, 772
Pineus strobi (pine bark aphid) 444, 467
Pissodes nemorensis (deodar weevil) 596
Pissodes strobi (white pine weevil) 272, 332, 398, 437, 543, 665
Pityogenes hopkinsi (a bark beetle) 398
Plathypena scabra (green clover-worm) 40, 65, 87, 174, 204, 256, 498, 592, 627, 631, 643, 671, 714
Platyedra vilella (*cotton stem moth) 75, 76, 77, 505, 780
Platynota idaeusalis (a moth) 223
Platynota stultana (a leafroller) 570, 671, 677, 781, 852, 854
Platyptilia carduidactyla (artichoke plume moth) 5, 120, 226, 802, 830
Platypus flavicornis (a bark beetle) 742, 822
Pleocoma sp. (a white gurb) 174
Plodia interpunctella (Indian-meal moth) 223, 391, 586, 632, 651, 665, 678, 730, 731, 812
Plutella maculipennis (diamond-back moth) 4, 26, 176, 190, 226, 240, 326, 462, 501, 768
Podosesia syringae fraxini (ash borer) 54
Pogonomyrmex barbatus (red harvester ant) 332
Poliaspis pini (a scale insect) 126
Polididus armatissimus (a reduviid) 824
Polistes exclamans exclamans (a wasp) 782, 804
Pollenia rudis (cluster fly) 804, 824
Polychrosis botrana (a grape-worm) 791
Polychrosis viteana (grape berry moth) 535, 555

Pontania sp. (a willow leaf gall) 54
Popillia japonica (Japanese beetle) 7, 125, 128, 137, 174, 174, 191, 422, 459, 479, 499, 513, 516, 531, 535, 568, 571, 573, 608, 658, 688, 771, 805, 828
Porthetria dispar (gypsy moth) 71, 152, 173, 191, 273, 324, 332, 355, 424, 436, 499, 505, 544, 561, 578, 650, 717, 771, 812, 839
Prays oleellus (an olive moth) 838
Premnatrypes sp. 782
Pristiphora erishsonii (larch sawfly) 157, 229, 277, 444, 468, 487, 505, 544, 562, 596
Prociphilus tessellatus (woolly alder aphid) 421
Prociphilus venafuscus (an aphid) 54
Prodenia spp. (armyworms) 714, 754
Prodenia ornithogalli (yellow - striped armyworm) 28 38, 40, 83, 226, 300, 401, 420, 431, 452, 475, 485, 498, 513, 585, 626, 660, 677, 689, 701, 704, 739, 742, 754, 735, 877, 853
Prodenia praefica (western yellow-striped armyworm) 38, 742, 863
Proleucoptera albella (*cottonwood leaf miner) 54
Prosopis juliflora (a moth) 824
Proteoteras aesculana (a twig borer) 223
Proteoteras willingana (boxelder twig borer) 223
Protoleucania albilinea (wheat head armyworm) 605
Protoparce spp. (hornworms) 66, 82, 128, 138, 193, 261, 417, 463, 482, 501, 519, 536, 573, 610, 630, 647, 661, 675, 716, 726
Protoparce quinquemaculata (tomato hornworm) 590, 703, 756, 805, 849
Protoparce sexta (tobacco hornworm) 176, 351, 377, 397, 440, 685, 805
Psallus seriatus (cotton flea-hopper) 37, 139, 160, 215, 292, 307, 331, 358, 380, 401, 420, 442, 435, 485, 502, 521, 541, 561, 577, 594, 614, 635, 815
Psammotettix spp. (leafhoppers) 23
Pseudaletia unipuncta (armyworm) 40, 65, 83, 154, 174, 191, 204, 237, 253, 281, 300, 320, 343, 368, 390, 409, 431, 452, 476, 497, 515, 552, 712, 805, 814, 826
Pseudaulacaspis pentagona (white peach scale) 4, 81, 768
Pseudocneorrhinus bifasciatus (a weevil) 177, 729
Pseudococcus citri (citrus mealybug) 534
Pseudococcus maritimus (grape mealybug) 4, 399, 524,798
Pseudohylesinus sp. (an engraver beetle) 271
Psila rosae (carrot rust fly) 439
Psinidia fenestralis (grasshopper) 871
Psoloessa texana (a grasshopper) 251
Psorophora sp. (a mosquito) 580
Psylla buxi (boxwood psyllid) 373

Psylla pyricola (pear psylla) 150, 169, 211, 285, 323, 346, 372, 588, 607, 629, 645, 658, 793, 844
Psylliodes spp. (flea beetles) 55
Pulex irritans (human flea) 830
Pulvinaria vitis (cottony maple scale) 79, 156, 487, 506
Pyralis farinalis (meal moth) 228, 378
Pyrausta nubilalis (European corn borer) 7, 52, 65, 78, 93-112, 126, 137, 148, 153, 172, 173, 191, 251, 298, 318, 340, 366, 387, 408, 414, 429, 450, 474, 494, 511, 529, 549, 567, 584, 591, 604, 625, 641, 656, 670, 683, 685, 693, 711, 735, 750, 753, 771, 805, 814, 827, 841
Pyrausta penitalis (a borer) 135

- R -

Ramosia bibionipennis (strawberry crown moth) 351
Recurvaria sp. 38
Recurvaria milleri (lodgepole needleminer) 273
Recurvaria nanella (lesser bud moth) 228
Recurvaria piceaella (a spruce needle miner) 456
Reticulitermes flavipes (termite) 227
Rhagoletis spp. (fruit flies) 64
Rhagoletis cerasi (a cherry fruit-fly) 489
Rhagoletis cingulata (cherry fruit fly, cherry maggot) 393, 458, 478, 583, 608, 776, 793, 844
Rhagoletis completa (walnut husk fly) 800, 860
Rhagoletis fausta (black cherry fruit fly) 58, 436, 776
Rhagoletis pomonella (apple maggot, blueberry maggot) 79, 125, 155, 457, 478, 499, 515, 534, 554, 572, 587, 645, 673, 683, 699, 737, 776, 777, 841, 842
Rhopalosiphum maidis (corn leaf aphid) 493, 551, 569, 586, 605, 625, 656, 672, 735, 775, 797, 809, 851, 858 (see also Aphis maidis)
Rhopalosiphum prunifoliae (apple grain aphid) 23, 206, 212, 224, 255, 354, 285, 302, 342, 346, 393
Rhopalosiphum pseudobrassicae (turnip aphid) 35, 48, 62, 74, 118, 133, 170, 439, 659, 820, 836, 848, 860, 866
Rhopalosiphum rufomaculatum (a chrysanthemum aphid) 812
Rhopalosiphum subterraneum (an aphid) 23
Rhyacionia buoliana (European pine shoot moth) 294, 398, 444, 467, 505, 562, 665, 691
Rhyacionia frustrana (Nantucket pine moth) 171, 563, 596, 690, 717, 742
Rhynchaenus pallicornis (apple flea weevil) 413
Rodalia cardinalis (vedalia) 325, 852
Romalea microptera (eastern lubber grasshopper) 84
Rumina decollata (a European snail) 849

- S -

Sabulodes caberata (*omnivorus looper) 224, 616
Saissetia oleae (black scale) 3, 60, 61, 117, 700, 756, 859
Salebria subcaesiella (locust leaf roller) 10, 637
Sanninoidea exitiosa (peach tree borer) 81, 175, 192, 535, 608, 713, 726, 737
Sarcophaga aldrichi 486
Scapteriscus abbreviatus (a mole cricket) 811
Schistocerca americana (American grasshopper) 36, 40, 80, 84
Schistocerca lineata 711
Schistocerca vaga 298
Schizolachnus sp. (an aphid) 9
Schizotetranychus schizopus (a mite) 173
Scirtothrips citri (citrus thrips) 238, 286, 305, 738, 799, 852
Scolytus multistriatus (smaller European elm bark beetle) 353, 650, 690, 759
Scolytus quadrispinosus (hickory bark beetle) 677
Scolytus rugulosus (shot-hole borer) 28, 66, 479, 700, 755
Scolytus ventralis (fir engraver) 271, 356
Scotorythra sp. (a moth) 825
Scotorythra paludicola 825
Scudderia septentrionalis (a grasshopper) 871
Scutigera sp. (a centipede) 422
Scutigerella immaculata (garden centipede) 651
Scymus sp. (a lady beetle) 48, 456
Septanychus texazona (see Tetranychus desertorum)
Sericothrips variabilis (a thrips) 36
Sesami cretica (a stem borer) 124
Sibine stimulea (saddleback caterpillar) 49
Simulium spp. (buffalo gnats) 445
Sipha flava (yellow sugarcane aphid) 48, 255, 283, 301, 370, 391, 456, 775, 809
Siphona irritans (horn fly) 40, 55, 67, 83, 135, 193, 262, 292, 360, 382, 422, 445, 488, 507, 544, 598, 616, 632, 651, 706, 718, 730
Sitona cylindricollis (sweet-clover weevil) 52, 68, 79, 127, 154, 235, 252, 343, 368, 389, 433, 454, 514, 552
Sitona explicita (a lupine weevil) 192, 301
Sitona hispidula (clover root curculio) 235, 476
Sitophilus granarius (granary weevil) 391, 468, 803
Sitophilus oryza (rice weevil) 40, 65, 138, 192, 586, 678, 749, 813
Sitotroga cerealella (Angoumois grain moth) 65, 192, 586, 665, 679, 698, 718, 730
Solenopotes capillatus (a cattle louse) 215
Solenopsis saevissima v. richteri (imported fire ant) 6, 86, 262, 359

Solubea pugnax (rice stink bug) 628
Spilonota ocellana (eye-spotted bud moth) 223
Spissistilus festinus (three-cornered alfalfa hopper) 80, 192, 221, 403, 507, 532, 585, 699, 768, 820, 852
Stegasta bosquella (red-necked peanutworm) 80, 532
Stenoma catenifer (*avocado seed moth) 838
Stephantiis pyrioides (azalea lace bug) 399
Stethorus sp. (a beetle) 644
Stethorus picipes 760
Stilpnotia salicis (satin moth) 191, 466, 486, 506, 578, 772, 839
Stomoxys calcitrans (stable fly) 67, 83, 445, 488, 544, 563, 616, 632, 651, 730
Strigoderma arboricola (a scarabaeid) 538
Strymon melinus (cotton square borer) 38, 595
Sturmia harrisinae (a tachina fly) 865
Supella supellectilium (brown-banded roach) 261, 803, 822
Symmerista albifrons (a red-humped oakworm) 729
Sympiesis viridula (parasite of European corn borer) 753
Synanthedon pictipes (lesser peach tree borer) 81, 192, 257, 534
Systena sp. 53
Systena blanda (pale-striped flea beetle) 37, 82
Systena elongata (elongate flea beetle) 82, 698

- T -

Tabanus atratus (black horse fly) 382, 445, 487, 691, 730, 812
Tabanus cheliopterus 579
Tabanus equalis 487
Tabanus fairchildi 563
Tabanus fumipennis 445
Tabanus gracilis 579
Tabanus immitans 382
Tabanus lineola (striped horse fly) 422, 445, 691, 718, 760, 812
Tabanus molestus 563
Tabanus nigripes 382
Tabanus nigrovittatus 579, 812
Tabanus quinquevittatus 597
Tabanus sulcifrons 468, 563, 579, 597, 760
Tachypterellus quadrigibbus (apple curculio) 155, 256, 345, 391, 508
Tachypterellus quadrigibbus magna (an apple curculio) 644
Taeniothrips inconsequens (pear thrips) 284
Taeniothrips simplex (gladiolus thrips) 156
Taniva albolineana (spruce needle miner) 444
Tarsonemus sp. (a mite) 758
Tarsonemus pallidus (cyclamen mite) 156, 260, 482, 611, 758
Telenomus tabanivorus (a parasite) 730
Tenebroides mauritanicus (cadelle) 138, 391, 570
Tetranychina apicalis (spider mite) 221
Tetranychus spp. (spider mites) 8, 85, 86, 287, 556, 569, 629, 643, 658, 776
Tetranychus atlanticus (strawberry spider mite) 38, 190, 606, 613, 616

Tetranychus bimaculatus (two-spotted spider mite) 24, 38, 75, 83, 119, 125, 127, 130, 134, 155, 156, 172, 190, 204, 213, 226, 287, 290, 294, 308, 322, 327, 346, 368, 382, 415, 478, 499, 501, 516, 523, 534, 554, 556, 571, 586, 587, 591, 594, 607, 609, 613, 629, 631, 646, 660, 676, 699, 757, 779, 801, 805, 851, 854
Tetranychus canadensis 66, 173, 286, 287
Tetranychus desertorum 38, 83, 290, 676
Tetranychus hicoriae 81, 479
Tetranychus mcdanieli 790
Tetranychus multisetis 38, 83
Tetranychus pacificus (Pacific mite) 38, 347, 676, 700
Tetranychus schoenei 286, 607
Tetranychus sexmaculatus (six-spotted mite) 117, 189, 238
Tetranychus yumensis 238
Thaumatomyia annulata (a chloropid) 707
Thrips tabaci (onion thrips) 26, 35, 36, 43, 82, 138, 170, 213, 226, 260, 307, 328, 397, 417, 482, 502, 519, 537, 557, 589, 646, 686, 715
Thyanta custator (a stink bug) 37, 628, 635
Thyridopteryx spp. (bagworms) 578
Thyridopteryx ephemeraeformis (bagworm) 8, 83, 83, 177, 506, 523, 615, 643, 729, 829
Tiphia vernalis (a Japanese beetle parasite) 445
Tipula cunctans (a crane fly) 805
Tomostethus multicinctus (brown-headed ash sawfly) 399
Tortricoides fragariana (a moth) 238
Tortrix excessana (a needle tying moth) 617
Tortrix postvittana (an apple moth) 617
Toumeyella liriodendri (tuliptree scale) 793, 822
Toumeyella numismaticum (pine tortoise scale) 398, 444, 467, 665
Toxoptera graminum (greenbug) 22, 28, 35, 48, 60, 65, 78, 116, 147, 189, 203, 205, 221, 236, 255, 282, 300, 301, 342, 390, 477, 496, 672, 712, 775, 804, 809, 819, 833, 846, 850, 858
Trachyphloeus bifoveolatus (a weevil) 782
Trialeurodes sp. (a white fly) 86
Trialeurodes abutilonea 37, 853
Trialeurodes packardi (strawberry white fly) 779, 865
Trialeurodes ruborum 260
Trialeurodes vaporariorum (greenhouse whitefly) 37, 325, 327, 609, 630
Triatoma sanguisuga (blood-sucking conenose) 563
Tribolium castaneum (red flour beetle) 468
Tribolium confusum (confused flour beetle) 651
Trichobaris trinotata (potato stalk borer) 555
Trichogramma sp. (parasite of sugarcane borer) 815
Trichoplusia ni (cabbage looper) 26, 35, 38, 49, 75, 119, 170, 176, 190, 213, 226, 240, 255, 289, 306, 326, 397, 417, 432, 462, 481, 501, 610, 631, 686,

701, 715, 727, 738, 758, 768, 792, 800, 811, 813, 814, 834, 853, 860
Trichopoda pennipes (a tachina fly) 782
Trifidaphis phaseoli (a root aphid) 37
Trimeratrapis sp. (a grasshopper) 669
Trionymus smithi (a mealybug) 433
Trisetacus sp. (a mite) 822
Trogoderma granarium (a dermestid) 803, 823
Tyloderma fragariae (strawberry crown borer) 844
Typhlocyba pomaria (white apple leafhopper) 393, 841
Typhlocyba rosae (rose leafhopper) 737, 758
Typhlodromus fallacis (a mite) 287
Typhlodromus longipiles (a mite) 287
Typhlodromus pomi 760
Typophorus viridicyaneus (sweet-potato leaf beetle) 85

- U -

Unaspis euonymi (euonymus scale) 86
Urbanus proteus (bean leaf roller) 259, 778, 809
Uropoda agitans (a mite) 67

- V -

Valentinia glanduella (a moth) 759
Vanessa cardui (painted lady) 53, 78, 87, 309
Vasates cornutus (peach silver mite) 28, 713
Vasates destructor (see V. lycopersici) 172, 537, 573, 590, 609, 630, 646, 659, 673, 702, 714, 756, 767
Vasates lycopersici (tomato russet mite) 802, 811, 814, 866, 871
Vasates quadripedes (maple bladder gall mite) 399, 467, 829
Vasates schlechtendali (apple rust mite) 713
Vespa crabo germana (giant hornet) 794

- X -

Xanthippus corallipes (a grasshopper) 251

- Z -

Zeiraphera ratzeburgiana (a spruce aphid) 664
Zonosemata electa (pepper maggot) 609
Zootermopsis angusticollis (a termite) 742
Zophodia convolutella (gooseberry fruitworm) 865
Zygogramma exclamationis (sunflower beetle) 617